

**INDEX**  
**TO**  
**"THE FOULING SHOT"**  
**VOLUMES 1 - 208**

**CURRENT THROUGH DECEMBER 2010**

© J. Lee Guthrie 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,  
2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

*ACCIDENTAL OMISSIONS \*\*\**

**-A-**

- |                                   |         |
|-----------------------------------|---------|
| 1. Accuracy                       |         |
| a. Average                        | #171-3  |
| b. Cast bullets                   | #22-2   |
| c. Comparing with velocity        | #68-8   |
| d. In general                     | #192-16 |
| e. Kpsi/BHN ratio                 | #170-12 |
| f. Poor bore                      | #189-13 |
| g. Revolver                       | #121-16 |
| h. Wheel weights and slow powders | #168-21 |
| 2. Acra-eez mould release         | #64-27  |
| 3. Actions                        |         |
| a. Hoch single shot               | #67-10  |
| b. Wrench                         | #169-20 |
| 4. Adjustment, iron sight         | #117-5  |
| 5. Alloys:                        |         |
| a. Aging                          | #89-4   |
| b. Antimony                       | #108-3  |

c. Arthur S. Green Metals	#66-7
d. Babbitt metal	#68-3, 186-13
e. Battery plates	#14-2, 19-16, 71-4
f. Brinell vs. Tensile Strength	#96-6
g. Castmatic	#112-5
h. Cleaning alloy	#59-25, 169-14
i. Copper	#85-4, 90-6
j. Densities	#147-3
k. Enrichment	#113-13, 184-20, 185-10
l. Hardness (see lead hardness testing)	
(1) Determining, simple method	#129-15
(2) How hard is good	#36-12, 59-16
(3) Versus chamber pressure	#188-4
m. High velocity with soft alloys	#72-13
n. Integrity	#70-13, 72-19, 92-3
o. Japanese wheelweights	#63-10
p. LBT hardness tester	#59-3
q. Metallurgy of lead bullet alloys	#192-10
r. Lyman #2	#184-20
s. Mag wheel weight caution	#64-7
t. Mercury for hardening	#68-2
u. Mid-range pistol alloy	#66-2
v. Mollohan's Mix	#52-30, 53-12, 74-20, 75-6
w. Mixtures and consistency	#30-17, 70-13, 87-4, 176-19,
x. Monotype and foundry type	#28-2, 63-2, 70-4
y. Phase diagram (lead/tin/antimony)	#19-2
z. Shot	#107-4
A. Soft, grease gun effect	#133-9
B. Solder (lead-tin)	#89-8
C. Sources	#32-11, 64-21, 83-3
D. Speeding up precipitation hardening	#62-2
E. Spreadsheet	#202-10
F. Tables	#22-13, 24-16, 28-4
G. Taracorp Magnum Alloy	#30-16
H. Temperature	#45-6, 70-13
I. Ternary	#17-5
J. Two alloy hunting mixtures	#61-6, 78-4, 88-3
K. Uniformity	#66-14
L. Velocity	#76-4
M. Wheelweights	#15-2, 42-23, 71-3
N. Zinc	#25-2, 27-2, 92-3
6. Alox, liquid	#115-8, 145-6
7. Alloying	
a. Guide	#74-19
b. System	#121-8
8. Aluminum gas checks	See "Freechecks"

9. Aluminum moulds	#32-3, 47-3, 78-17
10. Ammunition, OLD (rejuvenating)	#142-16
11. Annealing	
a. Case necks	#83-3, 86-8, 90-10, 91-4, 148-15, 150-3, 165-12
b. Gas checks	#20-10, 103-8, 114-14, 120-11, 151-21, 155-22
c. Machine	#157-13
d. Nose cast bullets	#82-21
12. Antimony alloying & source	#168-14, 168-15
13. Apache Blue lube	See "Lube"

## **-B-**

1. Backing system, moving	#123-9
2. Ball, Round	#44-5, 63-3, 106-7,
3. Ballistic coefficient of cast bullets	#54-2, 86-7, 95-13, 98-11, 134-8
4. Barrels:	
a. Barrels for cast bullets	#16-7, 49-2, 50-33
b. Bore condition	#20-2, 56-2
c. Bore measurements	#40-28
d. Bore soldering	#59-2
e. Break-in	#76-3, 90-13
f. Chrome molybdenum vs. stainless steel	#168-19
g. Cleaning and maintenance	#136-6, 142-14, 151-10, 152-4
h. Cast bullet throating	#61-2
i. Chambering by hand	#90-5
j. Conditioning	#189-13
k. Crowns for cast bullets	#179-16
l. Erosion	#154-13, 156-17, 157-5
m. Form factors	#12-2
n. Generally	#10-2
o. Glass bedding	#42-5
p. Inside bluing	#33-17
q. Inside dimensions	#19-14
r. Lapping	#146-18, 151-17
s. Length for 25-20	#200-3
t. Life	#154-13, 156-17, 157-4
u. Micro-Groove	#31-13, 74-15
v. Military	
(1) Stepped contour	#187-24
w. Revolver, setting up	#68-5
x. Re-boring	#16-7, 41-3

y. Re-chambering	#99-4
z. Re-lining	#188-3
A. Rifling, Enfield type	#65-2
B. Ruger #1, Douglas	#98-3
C. Seasoning barrels	#51-30
D. Seating depth	#86-3
E. Smoothing barrels	#79-7
F. Temperature	#88-4, 89-5
G. Throating	#107-3
H. Too smooth	#151-17
I. Twist problem	#25-2, 28-5
J. Two groove Springfield	#91-3
K. Used, fitting	#85-4
L. Weight	#91-27
5. Bases	
a. Bullet	#126-15
b. Scope (fitting)	#61-23
6. Battery plates	#14-2, 71-4
7. Bedding, rifles	#15-5, 16-3, 99-14
8. "Belly" guns – accuracy	#195-9
9. Berdan cases, salvaging	#78-18,83-25
10. Birdshot loads in pistols	#169-13
11. Black powder cartridge shooting	#71-21, 84-5, 106-8, 128-15
12. Black powder cartridge cleaning	#93-9
13. Blazer cases	#104-10
14. Blow-back	#111-13, 174-12
15. Bolt	
a. Handles, breaking M-788	#65-23
b. Gun, making from scratch	#81-9, 84-12
c. Size to case head	#95-3
16. Bore	
a. Cleaner	#8-3, 10-3, 60-2, 62-2, 95-9, 96-9, 98-15, 100-8, 113-9,
b. Cleaning tips	#63-25
c. Fouling	#100-9
d. Ironing	#93-8
e. Lapping	#82-21
f. Leading	#81-4
g. Polishing	#199-6
h. Rough	#33-15, 82-7
17. Box, shooting	#126-13
18. Brake, muzzle (KDF)	#89-17
19. Brass	
a. Cleaning	#198-13
b. Problems with military .308	#128-11
c. Reforming (see "Rifle" or "Pistol")	

d. Salvaging Berdan	#78-18
20. Breach seating	#1-1, 34-2, 37-23, 42-23, 83-3
21. Brinell vs. PSI	#201-10
22. Buckshot	#127-8
23. Bullet:	
a. Age hardening or softening	#144-3, 192-10
b. Alberts 154 gr. FN	#42-4
c. Bases	
(1) Chamfer tool	#144-3
(2) Comparing plain base to gas check	#152-15, 166-17
(3) Dents in	#121-14
(4) Filing	#198-15
(5) Seating depth	See "Seating depth"
(6) Squaring	#98-15, 146-3
(7) Upset	#128-5, 194-9, 197-9, 198-10, 205-8, 206-7, 207-9
(8) Wire edges	#61-24
d. Bent bullets	#59-24
e. "Blue"	#69-2
f. Boat Tail	#95-13, 97-9, 119-4
g. Bumping	#14-5, 16-2, 18-13, 19-9, 19-15, 20-16, 32-2, 44-22, 59-24, 60-16, 70-2, 79-4, 89-3, 131-11, 132-10, 134-8, 134-10, 144-15, 146-3, 153-9, 154- 4, 172-3, 203-11, 208-18
h. Casting technique	#47-21
i. Chamfer tool	#144-3
i. Chapman custom hunting moulds	#26-13
j. Comparing calibers (6mm to .30)	#50-28
k. Copper plated	#47-2
l. Counter	#108-16
m. Cryogenic treatment	#126-19
n. Deformation & shooting	#7-2, 198-17
o. Eagan Bumping Stop for RCBS & Lyman Sizers	#35-13
p. Eagan MX 2-22 in .222	#48-19
q. Expansion	#19-4, 113-14, 143-10, 169-18, 181-10, #167-18, 173-___, 177-12
r. Fit	#161-17
s. Flat base, making	#208-18
t. Flat point, making	#100-18,
u. Frosting	#109-10
v. Gould 330 grain hollowpoint	#105-19,
w. Hammer swaging	#48-12
x. Hammerheads	#74-3, 80-3, 114-19, 136-10, 170-12, 188-4, 201-10
y. Hardness	

z. Heat treating	#22-9, 29-2, 31-8, 33-3, 37-3, 37-5, 37-19, 39-11, 55-3, 62-16, 63-2, 79-4, 142-15 , 144-20, 169-14, 182-3
A. Heavy bullets in .44 mag & .45 Colt	#67-8
B. Heeled bullets	#121-3, 125-3
C. Hoch #730 .30 cal. mould	#26-11
D. Hoch #80	#37-9
E. Hollow points	#21-5, 24-9, 30-8, 67-18, 87- 12, 113-10, 169-18, 198-7, 203-5
F. Hunting	#26-10, 27-7, 59-18, 61-6, 182-3
G. Ideal diameter	#38-2
H. Lee 7mm - 130 gr.	#48-26
I. Length	#135-12
J. Lubrication of "as - cast"	#36-15
K. Lyman	
(1) #308403 Pope	#180-12
(2) #311291 Lyman	#40-6
(3) #311299	#182-19
(4) #323471 Lyman for 8mm Rem. Mag	#55-26
(5) #457191 in .45 Colt	#63-20
L. M-EX 2 - .243	#51-10
M. Measuring service	#180-3
N. Moly coating (see Molybdenum sulfide)	
O. NEI	
(1) "DD" (dimensional details)	#135-4,135-6
(2)	#43-15
(3) .30 Wasp-Waist	#128-12
P. Nomenclature	#76-16
Q. Obturation of cast bullets	#41-10, 55-19, 150-15
R. Orientation	#77-11
S. Oversize	#174-11
T. Patching	
(1) Paper patching	#50-39, 78-20, 105-16, 114-15, 159-15, 177-10
(2) Wire patching	#177-17
U. Plain based	#37-6, 41-4, 63-16, 65-13, 148-3
(1) .32 Win Spec plain base v. gas check 321297	#175-12
V. Puller, collet (slipping)	#142-16
W. Quench-Annealing	#53-27, 57-24, 58-9
X. RCBS 145-7 mm silhouette	#43-21
Y. RCBS .30 - 165 and 180	#46-14
Z. RCBS 145-7mm	#50-38
AA. RCBS .22 (22-055-FN)	#65-7
BB. Reverse seating	#187-___, 198-14, 205-12
CC. Revolver bullet design	#68-7

DD. Rounded edges	#168-3
EE. Seating depth	#17-6, 75-4
FF. Segregating cast bullets	#68-23, 136-11
GG. Self-defense cast bullets	#180-10
HH. Shrinkage voids in large bullets	#16-5
II. Shape	#4-4
JJ. Sizing	#24-16, 60-16, 63-2, 65-3, 70-15, 78-3, 89-14, 111-9, 170-20, 208-20
(1) Nose first	#140-8, 161-9, 189-11
KK. Small bore	#18-13, 41-15
LL. Softnose	
(1) LBT Caster	#60-15
(2) Lead roundball method	#121-11
MM. Spitzer	#29-20
NN. Split nose	#43-4, 87-13, 113-10, 118-12,
OO. Stability	#50-8, 137-11
(1) In slow twist .44s	#175-16
PP. Sticking in mould	#180-3
QQ. Taper die	#175-20, 210-13
RR. Tapered lead bullets	#38-8, 56-3, 60-16
SS. Teflon taped	#46-3
TT. Tipping	#81-3
UU. Too long for .30-06	#44-3
VV. Tweezers	#188-14
WW. Unlubed bullets	#114-7, 115-13, 116-12, 117-4,
XX. Voids in	#127-16, 163-13, 168-16
YY. Wadcutters	#180-5
ZZ. Wasp-waisted	#128-12, 130-9
AAA. Wear, bullet	#169-19
BBB. Weighing bullets	#42-19, 158-9
CCC. Weight	
(1) Calculating	#14-4
(2) Segregating	#132-12
DDD. Without lube, shooting	#80-8
24. Bumping to make shorter	#203-11

**-C-**

1. Cartridge case, .30-30 w/small primer	#67-11
2. Case	
a. Annealing	#83-3, 86-8, 87-8, 90-10, 91-4, 139-5, 140-3, 148-15, 150-3, 165-12
b. Capacity	
(1) Reducing	#73-24, 113-9,

(2) Small vs. Large	#145-20
c. Cleaning	#86-6, 92-9, 93-9, 96-16, 159-15, 160-19
(1) Alloy	#169-14
(2) Mold blocks	#199-11
(3) Rusty mold blocks	#199-13
d. Crimping	#96-21
e. Collet bullet pullers (slipping)	#142-16
f. Deburrer	#87-14
g. Design	#73-14
h. Fillers	#78-3, 113-9, 123-3, 126-5,
i. Head alteration	#86-11
j. Head size to bolt size	#95-3
k. Lube, case sizing	#203-3
l. Marking	#165-3
m. Military, sizing	#107-3
n. Mouth flaring, reaming, & expanding	#9-4, 15-5, 79-3
o. Neck	
(1) Cleaning	#151-3
(2) Expansion	#75-4, 111-10, 125-5
(3) Length	#79-4, 147-14
(4) Sizing	#187-22
(5) Tearing	#117-12, 117-13,
(6) Tension	#12-3, 40-29, 100-18, 125-5
(7) Thick	#117-14,
(8) Trimming	#41-21
p. Optimum .30 case capacity	#48-28
q. Preparation	#60-26
r. Salvaging Berdan	#78-18
s. Short, causing leading	#119-7
t. Shortening, cause of	#119-8, 120-8, 135-6
u. Shoulder setback	#98-15, 140-17
v. Small vs. standard	#43-2
w. Spinning	#68-24
x. Spring-back	#186-3
y. Steel pistol,	
(1) reloading	#173-3
(2) .45 auto	#174-3
z. Straight	#18-5
A. Trimming	#39-5, 140-14, 141-5
B. Tumbling	#34-13
C. Undersize sizing dies	#163-24
D. Voids, air bubble	#167-20
E. Weighing	#31-4
F. Weight variation	#74-4
G. Wet cleaning	#159-15

3. Cast bullets for handgun silhouette	#34-4
4. Cast bullets in military rifles	#34-3, 55-7, 56-9, 57-8
5. Cast Checks	#80-12
6. Casting:	
a. Basics	#50-20
b. Bottom pour	#141-16, 147-7
c. Bubbles	#73-9
d. Dipping versus dropping	#63-14, 73-9, 73-26, 120-19,
(1) Open dipping	#167-8
e. Dross, problems	#72-4
f. For iron targets	#30-2
g. Heat treating	See "Bullets"
h. Hollow points	#30-8
i. Humidity	#40-3
j. Inert gas	#163-22
k. Ladle pour	#147-7
l. Lead pots	#49-15, 55-22, 67-30
m. Match bullet reject rates	#63-13
n. Methods	#174-13
o. Oxidation barrier	#54-25, 57-29
p. Safety	#49-15, 67-30, 77-7
q. Soft Nose	#81-15
r. Sprue holes, smaller	#83-20
s. Standing wave	#167-8
t. Surface tension	#30-2
u. Techniques	#5-7, 18-7, 47-21, 70-11, 81-20, 94-20, 152-8, 154-18, 180-9
v. Temperature	#17-9, 23-9, 36-14
w. Tips	#144-15
x. Weight variation	#80-3
7. Cerrosafe (chamber casts)	#40-28, 70-2, 106-13,
8. Chamber	
a. Adapters	#188-9
b. Damage, .38 in .357	#99-3
c. Nomenclature	#36-4, 76-15
d. Measurements	#40-28,
(1) Chamber slug	#145-5
e. Out of square	#77-3
f. Pressure	#41-5, 131-10, 188-4
g. Revolver, measuring	#40-2
h. Ringing	#4-2, 27-2, 37-22, 66-17, 69-8, 73-3, 74-13, 77-10, 78-12 79-13, 80-3, 83-24, 84-3, 85-3, 91-16, 140-13, 142-15, 144-7, 146-20, 185-11, 205-13
i. Throat size	#25-10, 97-18, 101-4, 165-4

9. Chambering by hand	#90-5
10. Chambering tips	#26-8
11. Checks, disc	#168-8
12. Cleaner, bore	#8-3, 10-3, 20-6, 60-2, 62-10, 100-8, 113-9, 140-12, 150-25, 161-25,
13. Cleaning	
a. Bore	#22-14, 63-25, 90-15, 95-9, 130-5, 151-10, 152-4, 185-18
b. Brass	#198-13
c. Cases	#86-6, 92-9, 160-19
d. Lead in quantity	#59-25
e. Rods	#124-3, 127-11, 145-15, 147-9
f. Moulds	#73-22, 153-3, 170-3
14. Coaxsizer	#60-16, 61-10, 82-5, 161-12
15. Collet Die, Lee	#174-20
16. Competition, ideal bore size for	#155-10
17. Composite CB's on chucks	#66-20
18. Computer programs for shooting	#67-11, 75-13
19. Contender, T/C	#39-9, 41-13, 44-2, 46-8, 51-26, 54- 15, 55-2, 56-14, 57-3, 73-4, 81-3
20. Conversions (T/C) (.45/70, .444, & .40/65)	#46-8
21. Conversion cylinder (Taylor's Drop-in)	#170-19
22. Cookie cutter, lube	#169-22
23. Copper	
a. Alloys	#85-4, 90-6
b. Foil wrapped bullets	#106-12
c. Fouling and bore soldering	#59-2, 95-9
d. Plated bullets	#47-2
24. Corbin bore cleaner	#19-8
25. Correlating cast & jacketed loads	#64-2
26. Cowboy guns & loads	#143-18, 144-22, 193-7
27. Cream-of-Wheat (COW) loads	#122-8, 125-7, 126-5, 132-5
28. Crimper, gas check	#76-3
29. Crown, barrel	#179-16
30. Cryogenic barrel treatment	#126-19, 193-6
31. 6mm "CBC" cases	#49-7
32. Cutting, gas	#7-1
33. Cylinder, revolver – sizing to	#198-5

**-D-**

1. DD-Band moulds	#206-9, 207-8
2. Decapper, home made	#161-13
3. Definitions	
a. Chamber nomenclature	#36-4
b. Projectile nomenclature	#37-11
4. Defect, effect of visual defect	#112-12
5. Deformation, bullet	#7-2
6. Degreasing cosmolene military stocks	#144-3
7. Dents in bullet bases	#121-14
8. Dies	
a. Lee, collet type	#121-4, 174-20, 179-3
b. Cleaning	#174-5
c. Re-loading	#59-23, 67-15
(1) enlarging for cast bullets	#177-8
d. Size, tapering	#140-11
e. Taper	#93-3, 181-12
9. Dippers vs. measures	#75-3
10. Disc checks	#168-8
11. Drag from lube grooves	#169-24
12. Drawing heat treated bullets	#66-2
13. Dripping lead pot, cure	#167-3
14. Dropout, difficult bullet	#130-11
15. Dross, excessive	#69-2, 72-4
16. Dry lubricant	#43-8
17. Duplex loads	
a. Blackpowder in .45-70	#37-4
b. In General	#195-7
c. Smokeless	#123-7

## **-E-**

1. E-A-R muff	#57-13
2. e-mail	#143-12
3. Electrochemical polishing	#127-17
4. Ed's Red (bore cleaner)	#140-12, 161-25
5. Etching	#129-8
6. Equipment:	
a. Acra-eez mould release	#64-27
b. Auto-Disk linkage repair	#188-10
c. Ballard reloading tools	#136-16
d. Bennet base trimmer	#33-31
e. Brownell's Lead-out	#81-25
f. Bullet base chamfer tool	#144-3

g. Case expanding die, Lee Universal	#175-19
h. Chamber reamer rental	#145-5
i. Crimper, gas check	#76-3
j. Deburrer, case	#87-14
k. Decapper, boxer and Berdan	#144-13, 161-13
l. Dies	
(1) Bumping, bullet	#131-11, 132-10
(2) Homemade full length sizing dies	#166-21
(3) Lee collet, improving	#179-3
(4) Loading	#59-23, 67-15
(5) Lubrisizer modification	#145-6
m. Dipper casting	
(1) Open dipper casting	#167-8
n. Disc checks	#168-8
o. Eagan .30-T tapered sizing die	#45-14
p. Eagan gas check seater	#31-15
q. Electronic bore cleaner, homemade	#95-9, 96-9,
r. Freechec	#44-7, 58-5, 59-12, 60-13, 67-24, 155-13
s. Gas check spreader (expander)	#94-21, 159-16, 177-11
t. Gauge, OAL	#176-14
u. Getting started (basics)	#33-19
v. Guides, rod cleaning	#27-13
w. Hanned Precision Coaxsizer	#60-16, 61-10, 78-9
x. Hardness tester, lead	#123-11, 155-21, 175-14, 194-3
y. Heat treating bullet holder	#109-4
z. Homemade loading tools	#67-15
A. Huntington Compact Press	#42-13
B. JRW base wad extrusion pump	#84-20
C. LBT BHN tester	#64-9
D. LBT bullet moulds	#72-7
E. LBT Softnose Caster	#60-15, 67-18
F. Lead hardness tester	#150-11
G. Lee	
(1) Auto-Disk powder measure	#196-19
(2) Auto Index Turret	#47-19
(3) Auto-Prime (safety)	#103-10
(4) Case Expander	#180-3
(5) Collet die as neck sizer	#89-14
(6) Hardness tester	#171-8
(7) Load Master	#102-8
(8) Perfect powder measure	#102-8
(9) Powder dippers	#73-25, 75-3
(10) Zip Trim	#167-15
H. Lube heater	#91-15, 100-17, 154-17
I. Lubrisizer torque wrench	#150-16

J. Lyman	
(1) Casting thermometer	#46-13
(2) Gas check seater	#49-29
(3) Electric powder measure	#92-16, 114-19,
(4) Lubrisizer	#7-3, 98-10, 155-19
(a) leakage	#179-3
(5) M-die	#91-14
K. Magma's Master Caster	#167-15
L. McLemore - Pope Universal moulds	#48-27
M. Mould modification hand tools	#60-20
N. NAPA dgf 123 (dry graphite film)	#174-17
O. NAPA B'laster PB (penetrating oil)	#174-17
P. Neck size die, Lee collet	#73-9
Q. New (1986) RCBS sprue plates	#63-24
R. Nexpander	#63-9
S. P-Chec die (Hanned Precision)	#71-8
T. Pedestal, shooting	#78-26
U. Poly-wad cutter	#112-7
V. Pot	
(1) Cover	#176-3
(2) Ferguson ladle pour	#176-8
(3) Homemade	#112-8, 188-11
W. Potter lead tester	#111-3, 113-6,
X. Powder measure	
(1) Accuracy comparison	#197-11
(2) Homemade	#116-4
Y. Primer seating measurement	#185-12
Z. Reamer	
AA. (1) adjustable depth stop	#161-8
(2) sprue plate	#175-19
(3) tapered	#175-20
BB. Reloading	
(1) bench	#159-13
(2) Die, enlarging for cast bullets	#177-8
CC. Saeco lubrisizer	#105-15, 120-10,
DD. Seaters, adjustable breech	#73-26
EE. Single-Flute Cutter for making bullet moulds	#166-16
FF. Sizing die expansion	#99-11
GG. Soft gas checks	#47-20, 48-20
HH. Stop, bumping (for Lyman 450)	#19-9
II. Star lubrisizer repairs	#156-18
JJ. Taper die	#171-10, 175-20
KK. Top punch, floating	#177-3
LL. Tumblers	
(1) Brass damage	#99-4
(2) Rotary with liquid	#200-14

MM. Turret press	#161-8
NN. Wad cutter	#114-8
OO. Williams Gun Sight Co.	#174-19
PP. Wind flags	#164-17
QQ. Wrench, guardscrew torque	#69-19
7. Erosion, throat	#73-21
8. Expander plug	
a. For revolver	#42-2
b. Long Necks	#120-9
c. Problems	#87-3
d. Proper size	#69-4
e. Two step expanding	#109-5, 119-13
f. Wobble	#55-26
9. Expansion, case neck	#75-4
10. Expansion, cast bullet	#19-4, 113-14, 143-10, 181-10, 203-5

## **-F-**

1. Feeding problems in '03 Springfield	#102-3
2. Fillers, case	#6-2, 9-4, 9-5, 16-6, 20-6, 48-4, 61-2, 68-13, 73-3, 78-3, 78-22, 85-3, 95-20, 106-9, 122-8, 123-3, 125-7, 126-5, 126-15, 132-5, 141-7, 210-15,
3. Firearms system (multipurpose guns)	#54-11
4. Fire lapping	#166-21, 168-3
5. Flags, wind	#128-8, 208-19
6. Flaring, case mouth	#79-3
7. Fluxing	#25-9, 138-18, 147-8
8. Forcing cone angle	#53-2
9. Form factors, bullets	#12-2
10. Formulas (math for shooters)	#73-22
11. Foil, copper wrapped bullets	#106-12
12. Fouling	
a. Excessive bore	#65-2
b. Shots	#91-3
c. Throat	#202-17
13. Foundry type	#120-19
14. Freechec	#44-7, 58-5, 59-12, 67-24, 155-13 157-7
15. Frosting on bullets	#100-18

## -G-

1. Gas checks:
  - a. Annealing #20-10, 103-8, 114-14, 120-11,  
151-21, 155-22, 160-18
  - b. Cast Checks #80-12
  - c. Crimper #76-3
  - d. Cup vs. crimp #40-17
  - e. Design, shooting without #95-3, 148-10
  - f. Disk Checks #168-8
  - f. Expander/Spreader #94-21, 159-16, 177-11
  - g. Fit #41-26
  - h. Force seating #22-15
  - i. Freechec #44-7, 58-5, 59-12, 60-13, 67-24
  - j. "Homebrew" gas checks #63-22
  - k. Importance of #13-9
  - l. In general #138-10, 140-6
  - m. Inverted #158-8, 160-17
  - n. "Lost" #171-4
  - o. Milk jug gas checks #200-15
  - p. Orange juice jug gas checks #204-14
  - q. Oversize shank #154-4
  - r. Polyethylene wads #68-13
  - s. Scale, removing #120-11
  - t. Seating separately #49-11
  - u. Shank
    - (1) Reaming out #178-18
    - (2) Sizing #188-4
  - v. Soft GC #47-20, 48-20
  - w. Springback #140-10
  - x. Squaring up #91-21, 103-4, 166-19, 183-12
  - y. Swaging #107-9
  - z. Tight #82-21
    - A. Too large for bullet shank #38-4
    - B. Uniformity #45-26
    - C. .41 mag #174-3
2. Gas cutting #7-1
3. "Guard" or "Gallery" loads in .30-06 #192-5
4. GI Bore cleaner #60-2
5. Graphite
  - a. Spray #174-17
  - b. Wads #108-5
6. Grease wads #108-5, 111-15,
7. Greenhill's Formula #48-5, 52-2, 53-38, 84-16, 98-7, 99-7,  
121-5, 125-14, 157-5, 164-7

- a. Wadcutters #200-13
- 8. Groove
  - a. Design, lube #150-3
  - b. Diameter, measuring #101-16, 104-12, 105-17, 106-10,
  - c. Drag from #169-24
- 9. Group size, wind effects #42-16
- 10. Guides
  - a. Mould #108-15
  - b. Rod, cleaning #27-13

## -H-

- 1. Hammerheads #48-12
- 2. Handgun silhouette #63-17, 66-22, 110-21, 173-6
- 3. Handloading, practical #172-13
- 4. Handi-Rifle, NEF #194-14, 195-16
- 5. Hardening, age #84-23
- 6. Hardening, mercury #68-2
- 7. Hardening, precipitation #62-2
- 8. Hardness
  - a. Bullet #74-3, 80-3, 114-19, 136-10, 192-10,
  - b. Chamber pressure and BHN #116-11, 131-10, 201-10
  - c. Causes or "How to" #192-10
  - d. Comparing bullet vs. ingot hardness #175-15
  - e. Interpolating pressure for BHN #102-4, 201-10
  - f. Method for determining #129-15
  - g. Testing #23-6, 37-32, 50-17, 57-2, 59-3,  
118-3, 126-9, 155-21, 201-11,  
203-4, 206-15
- 9. Heat treating (See "Bullets")
  - a. Calibration of home oven #192-10
  - b. Cracked bullets #39-11
  - c. Quench - annealing #175-13  
#53-27, 57-24, 58-9, 79-4, 92-11,  
101-3, 133-16, 144-20, 199-5
  - d. Drawing bullets #66-2, 132-15, 152-3
  - e. Lead vapors in #92-5
  - f. Leading in H & K P7 #71-23
  - g. Re-heat treating after coax sizing #82-5
- 10. High velocity cast bullets #52-26, 56-32, 56-33, 62-16,  
67-18, 72-13, 115-5, 116-6,
- 11. Hoch moulds See "Moulds" and "Bullets"
- 12. Hoch single shot action kit #73-10, 77-6
- 13. Hollow point bullets #21-5, 24-9, 30-8, 67-18, 71-16,  
82-13, 87-12, 108-10, 113-10,

- 14. Humidity and casting
- 15. Hunting

128-9, 198-7, 203-5  
 #40-3  
 #15-6, 18-6, 56-32, 56-33, 57-5,  
 57-24, 58-7, 59-18, 59-26,  
 61-6, 61-21, 64-8, 64-22,  
 67-18, 67-29, 68-17, 71-16,  
 72-20, 73-17, 73-18, 74-22,  
 75-8, 80-14, 81-14, 82-10,  
 84-18, 85-12, 87-12, 87-13,  
 87-16, 88-8, 89-6, 90-17,  
 92-14, 92-16, 94-4, 94-19,  
 95-20, 103-15, 103-22, 104-11,  
 105-10, 107-11, 108-14, 121-11,  
 176-14, 177-4,  
 124-6, 141-6, 145-9, 149-14,  
 151-17, 156-23, 161-7, 163-8,  
 163-12, 165-18, 169-12, 169-13,  
 169-16, 171-9, 176-9, 176-13,  
 177-11, 177-13, 178-18, 182-15,  
 186-19, 193-12, 194-13, 200-12, 203-5  
 #134-1

- 16. Hydraulic support (lube pockets)

**-I-**

- 1. Ignition
  - a. Primers, in general
  - b. Problems
- 2. Inert gas casting
- 3. IPSC, .45ACP
- 4. Ingot moulds
- 5. Internet gun related groups
- 6. IPSC – moulds for competition
- 7. Iron sights
- 8. Isotope canisters as a source of lead

#3-8, 4-2, 7-1  
 #66-11  
 #163-22  
 #48-2  
 #126-5  
 #129-17  
 #155-17  
 #169-17  
 #207-6

**-J-**

- 1. JRW base wad extrusion pump

#84-20

2. Jacketed bullets #21-15

**-K-**

1. KDF Muzzle Brake #89-17  
2. Keyhole (Tipping Bullets) #81-3  
3. Kitty Litter, oxidation barrier #8-4, 54-25, 78-28, 105-5, 107-7,  
4. Krag, bolt cracking #177-12

**-L-**

1. Ladle #173-10  
    a. Left hand #155-21  
2. Lapping  
    a. Barrels (pressure/fire lapping) #104-7, 110-15, 110-19, 117-3,  
        124-5, 125-3, 146-18, 151-17,  
        154-17  
    b. Moulds #38-3, 146-18, 154-15  
3. LBT hardness tester #59-3  
4. LBT moulds #72-7  
5. Lead  
    a. Alloying #157-19, 176-19, 191-15, 200-17  
    b. Backstop #200-3  
    c. Blowback #174-12  
    d. Fumes #108-3, 109-3  
    e. Hardness testing #155-21, 206-15  
    f. Isotope canisters #207-6  
    g. Melting scrap #101-14  
    h. Metallurgy of cast bullet alloys #192-10, 200-17  
    i. Poisoning #119-3, 148-3, 152-14  
    j. Pots #14-6, 49-15, 55-22, 67-30,  
        79-11, 94-20, 102-14, 122-3,  
        #186-13  
        (1) digital control #206-3  
    k. Removing from moulds #135-7  
6. Leade #8-2, 24-2, 59-2, 71-3, 81-4,  
7. Leading 85-3, 94-15, 103-16, 110-  
        16, 119-7, 129-8, 156-21, 183-3,  
        201-17  
    a. Causes #192-7

b. Cylinder	#196-19
8. Length, mould	#61-13
9. Lever action Rossi, NEI 170.358	#42-22
10. Lever action technical tips	#36-10, 37-13, 42-21, 65-20
11. Lever action loads	#73-23, 84-3
12. Lever action strength	#74-4
13. Load development	#5-1, 28-6, 69-10, 82-17
14. Loading at the range	#54-4, 61-25, 130-14
15. Loading tray for Mauser bolt actions	#148-16
16. Loads, correlating cast & jacketed loads	#64-2, 69-10
17. Lube:	
a. Alox	#10-4, 18-4, 115-8, 147-16, 161-11
b. Apache Blue	#57-10, 67-26
c. Bullet Master	#29-6
d. Case	
[1] Home-made	#150-21
[2] Sizing	#203-3
e. Chemical basis for function	#122-12
f. Cold weather	#37-8, 130-8
g. Comparisons	#69-17
h. Cookie cutter modified	#169-22
h. Darr lube	#70-3
i. Diffusible components	#151-16
j. Dry lube	#43-8, 44-11, 120-4
k. Experimenting	#37-24, 65-30
l. Flying	#93-3
m. Graphite lube	#49-2, 52-10, 96-21,
n. Groove	
(1) design	#150-3
(2) drag from lube groove	#169-24
o. Heater, inexpensive	#91-15, 120-18,
p. Heating tests	#165-8
q. Homemade	#99-12
r. In general	#5-3, 88-10, 130-12
s. LBT Blue	#54-14, 78-28
t. Lee case lube	#59-3
u. Lithium grease	#18-9
v. M & N	#21-14
(1) homemade	#186-6
w. Metal lube, case neck	#68-24
x. Meyer's Lube	#91-20
y. Mica, NOT talcum	#173-16
z. Migration (Contamination)	#170-10, 174-15
A. Mold, making for lube	#161-14
B. Nose lubing	#90-15
C. Physical properties	#156-24

D. Pockets	#134-11
E. Pressure in the bore	#130-7, 136-8, 137-5
F. Pump, base wad extrusion lube	#152-3
G. Purging (lube purging fliers)	#120-5, 129-12
H. Radix Magnum dry film	#61-14
I. Rooster Red	#64-28, 78-28
J. SPG	#105-16,
K. Smokeless	#90-3
L. Soap in bullet lube	#168-17
M. Sugar in beeswax	#55-2
N. Tallow	#98-6, 100-9,
O. Texaco Taurak 250	#77-5, 87-8, 163-16, 170-3
P. Tumble	#153-17, 189-18
Q. Water soluble	#114-16
R. Without lube, shooting	#80-8, 82-14, 83-23, 84-21, 114-7, 161-13
18. Lubricate, self	#118-3
19. Lubrication	#121-12
20. Lubrisizer	
a. Cleaning	#66-19
b. Concentric	#143-17, 148-11
c. Heater	#154-17
d. Lyman 45 reconditioning	#155-19
(1) Leaking	#179-3
e. Nose punch, floating	#119-4
f. Star, repairing	#156-18
21. Lucky shots (statistics)	#192-19
22. Lyman #2 alloy	#184-20
23. Lyman moulds	See "Moulds" and "Bullets"
24. Lyman Bullet Seating Die, convert to taper	#127-15

## -M-

1. M-Die modification	#119-13
2. Mag-Na-Port	#82-3, 83-18, 84-4, 87-10, 120-3,
3. Match Wheelgun load preparation	#81-11
4. Math for shooters	#73-22
5. Mauser M-96, Swedish -- strength	#74-3
6. Measuring	
a. slug	#184-11, 187-5
b. targets (string measure)	#192-3
7. Melting pot shield	#152-3
8. Mercury, hardening alloy	#68-2

9. Micro - groove barrels	#36-2, 43-17, 49-27, 74-15, 191-3
10. Military Rifles	
a. Loading for military match	#189-9
11. Minute of angle	#120-3, 121-3
12. Moisture in casting equipment	#49-15
13. Molybdenum disulfide	#130-6, 139-9, 140-5, 144-17, 180-3,
14. Monotype, diluting	#63-2, 120-19,
15. "Moon" clips	#92-15
16. Moulds:	
a. Acra-eez mould release	#64-27
b. Altering	#93-15
c. Aluminum	#32-3, 47-3, 78-17
d. Borrego	#29-6
e. Burrs, cavity (removing)	#133-18
f. CSS .270	#66-29
g. Cleaning	#73-22, 96-13, 118-14, 153-3, 170-3, #199-11
h. Core pin lapping	#109-15
i. Cutting	#161-16
j. DD-Band	#206-9
k. Darr	#14-9, 14-11, 15-8
l. David Mos moulds	#144-27
m. Dimension problems	#33-5, 60-20
n. Eagan	#93-7, 167-10
o. Enlarging by acid etching	#116-14
p. Gang	#84-13
q. General maintenance	#13-4, 113-14, 137-8, 139-17
r. Gould Hollow Point	#30-5, 167-5, 186-19
s. Guide	#108-15
t. Handles	
(1) Lyman	#187-3
(2) Repair	#91-20, 96-15, 111-16, 113-11, 176-3, 191-3
u. Heat transfer	#37-16
v. Heating before casting	#35-9
w. Hoch	
(1) .45-70 #459355	#51-33
(2) In general	#9-3, 11-4, 28-13, 29-18, 31-14, 67-26, 68-3, 70-3, 174-9
x. Home made	#181-9
y. LBT	#81-6
z. Lapping	#38-3, 70-2, 98-12, 109-15, 146- 18, 154-15
A. Lathe boring	#165-13
B. Lead removing with cloth	#206-3

C. Lee	
(1) Block pin repair	#142-3
(2) Improving	#133-17
(3) Six cavity	#79-9, 185-17
(a) Modification	#201-18
(4) Tune up	#50-35
(5) 452-255-RF	#177-15
D. Listen to your moulds (idiosyncrasies)	#205-5
E. Lyman – Ideal	
(1) 287346	#177-16
(2) 299153	#175-11
(3) 311284	#145-5, 175-5, 175-18
(4) 311291	#175-5, 175-18, 177-7
(5) 311299	#169-16
(6) 311334	#167-14
(7) 311335	#76-11
(8) 311365	#167-14
(9) 311413	#190-16, 195-15
(10) 311466	#198-18
(11) 31357	#187-7
(12) 313226	#187-7
(13) 313445	#187-7
(14) 321297	#175-12
(15) 358156	#173-19
(16) 358318	#160-19
(17) 358627	#51-17
(18) 287641	#94-12
(19) 412263	#187-5
(20) 429650	#150-13
(21) 452423	#139-12
(22) 457122 HP (Gould)	#30-___, 100-3, 103-7, 105-6, 106-13, 109-10,167-5
(23) 457124	#173-___, 174-3
(24) 515141	#176-11
(25) 515142	#176-11, 187-5
(26) 518145	#176-11
(27) Modifying to nosepour	#72-15
(28) Overview of .30s	#136-13
F. Metal for mould manufacture	#59-16
G. McLemore - Pope Universal moulds	#48-27
H. Mould length list	#61-13
I. Mould Prep/NEI	#24-5, 25-5, 132-8
J. NEI	
(1) 224-71 GC	#44-24
(2) 301-182-PP	#177-7
(3) 308-142 AB	#44-20, 45-29, 62-23

(4) 308-168	#134-12
(5) 308-195 Spitzer	#45-16
(6) 308-220-GC	#52
(7) 311-155-GC	#65-9
(8) 358-170 for Rossi lever action	#42-22
(9) 358-190	#197-3
(10) 358-300-GC	#177-4
(11) 458-430 GC	#52-33
(12) DD-Bands	#206-9, 207-8
(13) In general	#21-8, 132-9
(14) Keith/Bench-or-woods –Marshall designs	#205-11
K. Nosepour	#44-18
L. Old West	
(1) .45 Colt	#29-5, 69-8
(2) 7mm and .312	#40-15, 69-8
(3) In general	#32-8, 59-11, 69-8
M. P. & C. moulds	#49-13
N. Pin	
(1) Adjustment	#176-3
(2) Repair	#111-10
O. Proper care of moulds	#55-25, 64-20
P. Rapine	#75-9, 75-11
Q. Ranch dog	#197-13, 198-20, 199-18
R. RCBS	
(1) In general	#59-14, 70-3
(2) .22 (22-055-FN)	#65-7
(3) 270-130-FN	#177-4
(4) 357-180 SILH	#202-14
(5) 429-240-SIL	#177-3
(6) 45-225-CAV	#203-17
S. Repairs	#77-13, 145-13, 152-19, 156-20
T. Rust	#19-13, 32-11, 57-4, 199-13
U. Saeco #315	#195-7
V. Single flute cutter, making moulds with	#166-16
W. Squaring	#44-9, 60-20
X. Smoking	#9-3, 14-2
Y. SSK 431.305	#65-14
Z. Sticking (bullet sticking in)	#180-3
AA. Storing	#42-5
BB. Tapered	#56-3
CC. Temperature, gauging	#144-27
DD. Throat, matching to	#94-3
EE. Tools to modify	#60-20
FF. Tune up	
(1) In general	#12-5, 147-12
(2) Lee moulds	#50-35

GG. Undersize moulds (shimming)	#205-7
HH. Vice for making bullet moulds	#163-9
II. Welsh moulds	#32-7, 40-14
17. Mouth, case reaming	#15-5
18. Mouth, case expanding	#9-4
19. Moving backing system	#123-9
20. Multipurpose guns and loads	#54-11
21. Muzzle	
a. Brake, KDF	#89-17
b. Damage	#148-4
c. Pressure	#131-7

## -N-

1. Neck	
a. Clearance between cartridge and neck	#173-13
b. Expansion , case neck	#12-3, 75-4, 91-14, 111-10,
c. Ring, lead around neck	#152-9, 174-12
d. Sizing	#45-30, 84-23, 137-5
e. Tension, case	#40-29, 88-4, 100-18, 115-9, 152-19
2. NEI moulds	See "Moulds" and "Bullets"
3. Nexpander	#63-9
4. Nitrocellulose, industrial	#86-7
5. Nose	
a. bumping	#172-3
b. oversize	#120-14
c. undersize	#154-4
6. Nosepour moulds	#44-18, 82-21
7. Nosepour, modifying Lyman to	#72-15
8. Nose punch, floating	#119-4

## -O-

1. Obturation of bullets	#41-10, 55-19, 150-15
2. Oil, penetrating (B'laster PB)	#174-17
3. Old West moulds	See "Moulds" and "Bullets"
4. Optical assistance	#114-10
5. Orientation, bullet	#8-4, 77-11
6. Orientation, powder	#17-4
7. Oxidation barrier (kitty litter)	#54-25, 57-29, 78-28

## -P-

1. P-Chec die (Hanned Precision) #71-8
2. Patching
  - a. Aluminum foil #90-18
  - b. Copper foil #106-12
  - c. Paper #50-39, 78-20, 81-14, 86-12, 86-16, 90-18, 91-17, 93-6, 94-17, 105-16, 109-6, 110-18, 113-18, 114-15, 126-11, 137-6, 159-15, 191-18
  - d. Mailing labels as patches #199-14
  - e. Teflon tape #69-13
3. Penetration
  - a. Cast vs. jacketed #99-13
  - b. Tests, penetration & expansion #143-10, 150-16
4. Phase diagram (lead alloy) #19-2
5. Pistols:
  - a. Accuracy Primer #121-16
  - b. Barrels, setting up #68-5
  - c. Bullet design #68-7
  - d. Calibers
    - (1) .22 K Hornet #45-11
    - (2) .222 Rem. in T/C #57-3
    - (3) .25-.35 Improved in T/C #40-10
    - (4) .250 Savage in XP-100 #106-6,
    - (5) 6mm BR #150-23
    - (6) 7mm BR in Remington XP-100 #58-2, 65-17
    - (7) 7.62x39 #77-3
    - (8) .30 Carbine in Ruger #93-6
    - (9) .30 Herrett #38-3, 51-26, 56-14
    - (10) .30 Mauser #146-7
    - (11) 7.62mm Russian Nagant #149-19, 179-10
    - (12) .30-30 Contender #54-15, 55-3, 72-3
    - (13) .308 x 1.5 #58-2, 77-3
    - (14) .308 silhouette #66-22, 77-3
    - (15) .32 ACP #39-23, 51-12, 186-7, 188-3, 196-12
    - (16) .32 LC #153-14
    - (17) .32 French Long #206-3
    - (18) .32 S&W #54-26, 61-24, 108-9,
    - (19) .32 S&W Long (.32 Colt New Police) #54-26, 141-15, 187-7, 194-6, 196-12

(20) .32 H&R Magnum	#41-6, 94-19, 98-12, 177-9, 197-5, 198-5, 198-21, 210-12
(21) .32-20	#97-3, 200-8, 202-11
(22) 8mm Lebel	#79-5
(23) 9x18 Makarov	#118-8
(24) 9mm	#66-26, 79-17, 142-9
(25) .38 Special	#142-12, 145-17, 147-11, 180-5, 181-7, 182-7, 200-3, 205-14, 206-12, #158-11
(26) .38 Super	#99-3, 199-8, 210-12, 206-12
(27) .357 Mag	#72-20, 135-13, 139-16
(28) .41 Mag	#34-9, 39-3, 40-9, 44-2, 47- 32, 52-2, 55-27, 56-2, 56-34, 64-2, 65-14, 67-8, 190-17 #189-17
(a) Light loads	
(30) .44 mag.	#44-2, 52-2, 69-4, 83-17, 101-9, 150-13, 169-13, 190-17 #125-8
(31) .44/45	#83-19, 91-9, 127-7, 143-13, 150- 6, 151-6, 161-10, 193-7, 207-6
(32) .45 ACP	#172-19, 191-12, 203-16
(33) .45 Auto Rim	#63-20, 64-24, 67-8, 75-15, 78-16, 92-17, 96-4, 110-8, 111- 14, 113-4, 150-22, 161-22, 166- 22, 177-13, 177-14, 190-17, #62-5, 65-5, 77-3, 78-13
(34) .45 Colt	#104-4, 131-9, 132-5, 136-12, 194-3 #156-14
(35) .454 Casull	#45-8
(36) .455 Webley	#59-7
(37) .480 Ruger	#201-17
(38) .50 caliber handgun	#98-16
e. Large bore handgun calibers	#98-3
f. Leading in	#195-9
g. Plain base, hot loads	#42-2
h. Schuetzenfest pistol	#55-9
i. Short barrel – accuracy comparison	#94-13
j. Size of expander plug	#47-2
k. Undercover pistols with cast	#69-4
l. XP-100	#119-3
6. Plated bullets	#208-18
7. Plug, expander - proper size	#127-17
8. Poisoning, lead	#71-8, 74-23, 76-13, 86-12, 189-17
9. Pointing, flat pointing	
10. Polishing, electrochemical	
11. Poly wad (P-Chec die) (PVC wad)	
12. Pot, lead	
a. Bottom pour	#141-16, 161-11
b. Charcoal on top	#185-10

- c. Dripping, cure #167-3
- d. Dross #77-8
- e. Homemade #112-8, 114-11,
- f. Lee Pro 20lb. Pot #208-19
- g. SAFETY #49-15, 67-30, 77-7, 79-11,  
85-14, 102-14, 143-3, 168-4
- h. Slushy #198-17
- i. Temperature #36-14, 122-3,
- j. Tips #106-15,
- 13. Powder
  - a. Dipping vs. measuring #75-3
  - b. Old #181-17
  - c. Positioning #145-22, 173-13
- 14. Powders:
  - a. Accurate Arms #49-3, 71-20, 75-15, 106-3,  
130-18, 161-20, 174-18, 175-3,  
#127-12
  - b. Alliant
  - c. Ball
    - (1) For cast bullets #141-10
    - (2) Fouling #9-2
    - (3) Reduced loads #35-29
    - (4) Ringing, chamber See "Chamber ringing"
  - d. Bridging #109-15
  - e. Bullseye #182-3, 197-4
  - f. Cryogenic treatment #126-19
  - g. Density #64-6
  - h. Flake, measuring #113-3
  - i. For the beginner #39-12
  - j. For cast bullets #95-4
  - k. Non-canister #74-7
  - l. Pistol powders #181-3
  - m. Powder choice #31-2
  - n. Orientation #17-4, 110-4
  - o. Slow burning powders #15- 4, 78-3, 57-26, 61-2, 86-3
  - p. Surplus #74-5, 141-11
    - (1) #107 #181-17
    - (2) 2200 #150-25, 155-22
  - q. Thunderbird #66-7
  - r. Trail Boss #191-19, 198-16
  - s. Unique #198-18
  - t. H-4831 in .45/70 #62-24
  - u. H335 #33-13, 129-5
  - v. MP-5744 #37-22, 45-18
  - w. RL-7 #33-5, 78-22, 148-4
  - x. RL-12 #67-24
  - y. SR 4759 #37-21, 109-15, 112-10,

z. 296	#39-22, 44-23, 47-23, 61-2
A. 700X	#181-3
B. 800X	#38-21
C. 2400	
[1] In rifles	#29-31, 113-7, 115-12, 117-14, 119-11
[2] Comparison old vs. new	#199-8
[3] Newly manufactured	#194-3
15. Powder measure, Lee Auto-Disk	#196-19
16. Practical hand loading	#172-13
17. Pressure	
a. Chamber	#41-5, 131-10, 136-10
b. Excursion phenomenon	#4-2
c. In general	#12-4
d. Interpolating for correct BHN	#102-4
e. Lapping barrels	#104-7
f. Lubricant, pressure in the bore	#130-7, 136-8, 137-5
g. Muzzle	#131-7
h. Pistols	#99-3
i. Signs in .44 magnum	#64-2, 101-9
18. Primers	
a. Decapping tools	#144-13
b. Hard to seat	#128-17
c. In general	#3-8, 4-2, 7-1, 133-8
d. Pistol in rifle cases	#68-4, 71-3, 113-16,
e. Pierced	#70-3
f. Pocket tightening	#169-3
g. Pocket uniforming	#186-16
h. Protrusion	#151-3
i. Switching	#133-7
j. Tests	#100-12
19. Production	
a. Class tips	#187-11
b. Rifles	#40-4, 149-11
20. Punch	
a. Top	#7-3
(1) Floating	#177-3
b. Wad	#87-9
21. Purging (lube purging fliers)	#129-12
22. Pump, base wad extrusion lube	#152-3
23. Pyrodex in .45-70	#103-19, 113-18,

- |                     |                                   |
|---------------------|-----------------------------------|
| 1. Quench-annealing | #53-27, 57-24, 58-9, 101-3, 109-4 |
| 2. Quiet loads      | See "Sub-sonic Loads"             |

**-R-**

- |                                   |                                      |
|-----------------------------------|--------------------------------------|
| 1. Range, loading at              | #54- , 61-25                         |
| 2. RCBS moulds                    | See "Moulds" and "Bullets"           |
| 3. Reamer                         |                                      |
| a. Adjustable depth stop          | # 161-8                              |
| b. Neck                           | #41-21                               |
| c. Rentals                        | #145-5                               |
| 4. Reaming, case mouth            | #15-5                                |
| 5. Reboring                       | #41-3                                |
| 6. Recoil calculations            | #142-7                               |
| 7. Reduced loads                  | #9-2, 140-14                         |
| 8. Registering bullets and cases  | #128-16                              |
| 9. Re-lining, barrel              | #188-3                               |
| 10. Re-throating                  | #82-4, 188-15, 191-3                 |
| 11. Revolvers                     | See "Pistols"                        |
| 12. Revolvers, measuring chambers | #40-2, 96-4,                         |
| 13. Revolvers, barrel throat      | #71-14, 96-4,                        |
| a. Long throats                   | #186-17                              |
| b. Sizing CB to cylinder throat   | #198-5                               |
| 14. Rifle:                        |                                      |
| a. Accurizing (in general)        | #192-16                              |
| b. Arisaka                        | #110-20, 144-3                       |
| c. Automatics, cast bullets in    | #97-11                               |
| d. Bedding                        | #15-5, 16-3                          |
| e. Calibers                       |                                      |
| (1) .218 Bee                      | #95-3, 174-20                        |
| (2) .22 CB                        | #68-13, 84-9, 84-21                  |
| (3) .22 Hornet                    | #51-12, 54-29, 91-16, 109-7, 187-18, |
|                                   | 192-13, 193-18                       |
| (4) .222                          | #48-3, 48-19, 67-12, 78-27,          |
|                                   | 91-16                                |
| (5) .222 x 1.5                    | #94-9                                |
| (6) .223                          | #__?__, 85-10, 197-17                |
| (7) .22-250                       | #195-12, 196-14                      |
| (8) .243 Rockchucker              | #59-22, 69-15                        |
| (9) .244 (6mm)                    | #12-7, 20-9                          |
| (10) 6mm BR                       | #102-3                               |
| (11) 6mm Lee Navy                 | #200-10                              |
| (12) .243                         | #31-13, 46-2, 47-13, 49-9, 62-15,    |

	72-3, 86-9, 158-10
(13) .25s	#92-12, 105-13,
(14) .25 Short Hornet	#87-9
(15) .25-20	#60-4, 78-21, 80-4, 80-6, 89-3, 106-11, 108-8, 111-6, 113-15, 114-3, 174-20, 200-3
(16) .25-35	#56-12, 78-21, 199-4
(17) .256 Winchester Magnum	#167-10
(18) .257 Roberts	#55-28, 78-21
(19) .25-06	#67-25
(20) 6.5 x 39mm	#145-16
(21) 6.5 Swedish Mauser	#66-19, 71-19, 105-15, 113-11, 114-5, 115-15, 122-8, 147-12, 156-5, 185-3
(22) 6.8 SPC (.270 Short)	#188-14
(23) .270	#64-3, 177-4,
(24) 7mm BR	#37-7, 77-21, 115-10,
(25) 7mm-.222	#89-15
(26) 7mm-TCU	#64-23, 68-17
(27) 7x30 Waters	#66-2
(28) 7mm-08	#44-26, 73-15
(29) 7x57 Mauser	#42-2, 72-5, 203-8, 203-10, 204-8, 205-10
(a) 1902 Rem 7mm Rolling Block	#191-8
(30) 7.5x55	#82-3, 154-11, 163-3, 165-11, 167-12, 176-6, 179-6, 179-12, 183-9
(31) .280 Rem; 7mm Express; 7mm-06	#177-15, 189-17, 194-11
(32) .284 Winchester	#115-11,
(33) .30 Carbine	#103-20
(34) .30/.357	#56-12, 60-7
(35) .30 Gray	#115-5,
(36) .30 Herrett	#57-18, 67-3
(37) .300 Savage	#42-26, 50-37, 190-3, 192-12
(38) .303 Savage	#73-25
(39) .30 Johnson	#13-2, 43-2, 173-10
(40) .30-30 (7.62 x 46R)	#20-4, 29-3, 33-7, 46-5, 46-__, 28, 60-2, 66-9, 109-4, 152-13, 176-9, 181-13, 184-12, 187-3, 188-9, 194-13, 200-12, 210-15
(41) .30-30 Wesson	#146-22
(42) .30 American	#72-11
(43) .30 BR	#51-32
(44) .308 BR	#21-13
(45) .308x1.5 Barnes	#173-10
(46) .308x1.6 LNR	#68-15

(47) .308	#62-3, 66-22, 163-3, 184-12, 194-15, 196-18, 201-7, 203-17
(48) .30-40	#20-7, 61-23, 61-26, 100-3, 103-12, 105-3, 185-9, 190-3, 208-11
(49) .30-06	#21-2, 41-7, 71-18, 82-20, 85-13, 94-15, 104-5, 106-5, 115-3, 141-11, 145-5, 192-18,
a. "Guard" or "Gallery" loads	#192-5
(50) .30-444	#42-12
(51) .300 Win. Mag.	#62-20, 73-25,
(52) .30 USA	#172-17, 178-20,
(53) 7.5x55 Swiss	#202-14
(54) 7.62x39	#65-9, 86-13, 88-12, 89-17, 90-4, 101-4, 120-12, 147-13, 182-15, 187-13, 193-14, 205-12
(55) 7.62x39 Kern	#72-17, 171-7
(56) 7.62x46R	#69-8, 72-11
(57) 7.62x54R	#79-24, 93-9, 121-18, 158-19, 173-11, 175-18, 176-17, 181-3, 186-3, 191-19
(58) 7.65 Argentine	#122-3, 167-3
(59) .303 British	#46-3, 48-6, 87-3, 100-3, 106-4, 147-5, 151-20, 183-10, 196-18, 200-9
a. .303 Pygmy	#208-13
(60) .310 Martini Cadet	#96-3, 101-13, 114-3, 116-9, 116-10, 122-4, 152-16, 173-14
(61) .32 ACP	#188-3, 188-7
(62) .32 Long Colt	#175-11, 186-3
(63) .32 S&W Long	#170-8, 186-3, 188-7
(64) .32-20	#56-12, 103-20, 126-12, 174-20, 202-11, 208-10
(65) .32-40	#68-9, 101-3, 116-3, 181-12, 202-17
(66) .32 Guido Ardito	#96-11
(67) .32 H&R Magnum	#__-__, 170-8, 197-5, 198-5, 198-20, 201-12, 204-15
(68) .32 Miller Short	#114-17
(69) .32 Winchester Special	#201-6, 201-8, 208-10
(70) .33 Winchester	#140-15, 207-12
(71) 8x33 Helbig	#120-7
(72) 8x57	#47-5, 59-4, 85-3, 158-14, 180-13, 180-15
(73) 8x60R	#148-6
(74) 8mm Remington Magnum	#55-26
(75) .348	#67-25, 78-3, 84-18, 137-7

(76) .35 Calibers	#26-5, 42-6, 47-31, 61-3, 67-30, 85-12, 159-13, 180-5, 186-11,
a. .35 Remington	
(1) 10 inch vs. 12 inch twist barrels	#198-22
(77) .357 Mag. lever rifles	#84-3, 91-14, 93-13, 171-7, 171-12, 174-20, 183-7, 187-15
(78) .357 Herrett	#109-9, 117-8,
(79) .357 Maximum	#202-14
(80) .35 Remington	#108-3, 110-17, 143-3, 157-11, 158-13, 160-19, 161-24, 165-17, 174-16, 176-9
(81) .350 Rem. Magnum	#105-12,
(82) .35 Whelan	#73-3, 91-3, 93-16, 94-21, 99-7, 102-14, 106-10, 149-14, 149-18, 177-4, 186-10, 193-14
(83) .35 Waller	#133-6
(84) .35-30/30	#18-2, 51-12
(85) .35 Greevy Express (.35/45-70)	#56-3
(86) .35 Winchester	#157-19
(87) .358 Hunting loads	#43-3
(88) 9.3x57 Mauser	#207-14
(89) .375 H&H	#94-19, 106-10, 131-6, 133-5, 138-12, 145-9, 151-21, 207-17
(90) .375 Whelan	#87-16
(91) .375 Winchester	#29-19, 31-11, 43-17, 102-14, 177-11
(92) .38-55	#67-2, 70-17, 81-3, 82-3, 92-3, 94-11, 96-3, 105-18, 113-15, 144-25, 152-12, 165-3, 176-9, 181-18, 185-13, 185-15, 189-14
(a) Blackpowder in 1885	#189-14
(93) .38-56	#207-12
(94) .38-70	#76-10, 163-11
(95) .404 Jeffery	#103-5, 121-10,
(96) .40-50 Sharps straight	#74-11
(97) .40-50 Sharps Bottleneck	#80-3
(98) .40-65	#143-12, 169-11, 207-12
(99) .40-70 Sharps	#66-27
(100) .41 Mag	#72-20
(101) .41 Swiss Vetterli	#187-10, 201-14
(102) .416 x 300 WSM wildcat	#175-7.
(103) .43 Spanish	#89-5, 184-21, 188-12, 195-14
(104) .44-40	#50-4
(105) .44 Mag.	#36-2, 39-24, 49-21, 69-4, 83-17,

	109-13, 143-14, 145-16, 173-20, 174-20, 181-20, 201-7
(106) .44/63 Ballard	#161-8, 170-13
(107) 11 mm. Mauser	#43-18
(108) 11.15x58R	#167-7
(109) 11.15x60R	#110-5
(110) .444 Marlin	#39-24, 78-5, 130-10
(111) .444 straight case	#67-24
(112) .45 ACP	#180-16
(113) .45 Colt	#98-4, 113-5, 206-3,
(114) .45-70 & .45-90	#30-5, 43-3, 47-33, 48-22, 49-4, 53-2, 55-29, 60-3, 68-8, 70-3, 73-3, 73-4, 75-5, 78-12, 84-23, 85-3, 91-17, 92-4, 92-16, 94-3, 98-10, 98-14, 100-20, 102-15, 105-6, 106-4, 107-6, 109-6, 113-18, 116-15, 118-13, 127-12, 131-8, 173-03, 184-14, 197-13,
(A) .22 Subcaliber device	#120-21
(115) .450-100-450 Express	#51-4
(116) .45 x 1.575"	#173-17
(117) .458 x 2" American	#105-9,
(118) .458 Win. Mag.	#45-5, 86-4, 87-16, 113-8, 187-22
(119) .460 Weatherby Mag	#151-22
(120) .470 Nitro Express	#120-22
(121) 12.7x44R (aka 12.17x44R)	#176-10
(122) .50-70 Springfield	#49-29, 78-12, 113-10,
(123) .50 Alaskan	#110-10
(124) .50-375	#62-4, 63-4
(125) .50 S&W	#171-16
(126) .50 Spotter	#77-17
(127) .577/.450 Farquarson	#73-5
(128) .577/.450 Martini-Henry	#118-4, 127-13, 179-7, 193-15
(129) .577 Nitro Express	#182-6
(130) .577 Snider	#174-17, 178-19, 194-10
f. M1 rifle	
[1] Cast in	#48-2, 63-11, 90-3, 91-20, 94-15,
[2] Tune up	
g. Correlating cast & jacketed loads	#64-2
h. Experimenter class rifles	#59-20
i. Guedes 8x60R	#148-6
j. HK-91, cast bullets in	#144-26
k. K-31	#179-12, 186-21
l. Lever action accuracy	#42-21

m. Marlin	
(1) Accurizing M1895	#147-15
(2) .32 Long Colt in Marlin 1892	#175-11
(3) .357 conversion to .256	#37-7
(4) .44 Mag	#173-20, 174-20
(5) .45 Colt	#206-5
n. Mosin-Nagant	#121-18, 173-11, 175-18
o. Palma	#190-21
p. Peabody	#153-5
q. P-14 and 1917 conversions	#150-9
r. Planning a CBA match rifle	#26-4, 61-17
s. Production	#40-4, 57-21, 149-11
t. Remington 40-X	#79-3
u. Remington 788 vs. 700	#117-3
v. Rest, custom made	#172-22
w. Rook	#153-7, 186-3, 188-7
x. Ruger #1	#132-13, 135-5, 141-13
y. Schuetzen rifles	#55-23
z. Siamese Mausers	#164-9
A. Single shot	#46-4, 90-11
B. Springfield	#90-12, 92-15, 111-12, 126-20, 132-7, 144-8, 145-5
(1) Feeding problems	#102-3
C. Steyr SBS-96	#176-6
D. Swedish rolling block	#176-10
E. Swiss K31	#179-12, 186-21
F. Squirrel Rifles, center fire	#174-20
G. Winchester self-loading	#79-21
15. Rifling	
a. Enfield type	#65-2
b. Marlin micro-groove	#92-16
16. Rings, chamber	#4-2, 66-17, 69-8, 73-3, 74-13, 77-10, 79-13, 80-3, 83-24, 84-3, 91-16, 106-9, 140-13, 142-15, 144-7, 146-20, 185-11
17. Rings, lead on case neck	#152-9
18. Rings, scope (fitting)	#61-23
19. Rolling block	#95-15
20. Round balls	
a. Loads	#106-7
b. Sizing	#63-3
21. Rubber mould casting	#33-2
22. Ruger #1 and #3	#132-13, 135-5, 141-13
23. Run out of a loaded round	#145-10
24. Rust	
a. Inhibitors	#105-14, 107-8,

b. Mould cavity #8-4, 10-5, 19-13

**-S-**

- 1. SAFETY (casting) #49-15, 67-30, 77-7, 105-8, 109-3, 109-8,
- 2. Salt, testing for #98-7
- 3. Saws, lead #20-5
- 4. Schofield, smokeless #193-7
- 5. Schuetzen #177-7
  - a. AYDT actions
- 6. Scope #185-18
  - a. Famous maker #163-3
  - b. Focusing #191-16
  - c. Power, determining #61-23
  - d. Rings and bases (fitting) #186-16
  - e. Test for correct adjustment
- 7. Seater, Mequon straight line bullet seater #49-22
- 8. Seaters, adjustable breech #73-26
- 9. Seating, breach #37-23
- 10. Seating, depth #17-6, 75-4, 76-4, 86-3, 110-5, 143-13, 143-15, 187-17
- 11. Segregating cast bullets #68-23
- 12. Shield, melting pot #152-3
- 13. Shot, lead (alloying) #107-4
- 14. Shot loads in pistols #169-13
- 15. Shotgun #200-12, 206-8
- 16. Shoulder setback #98-15, 140-17
- 17. Shrinkage voids in large bullets #16-5
- 18. Shimming undersize moulds #205-7
- 19. Sights #203-13
  - a. Hoods #113-3, 113-6, 117-5, 122-18,
  - b. Iron #190-21
  - c. Making, front #154-10
  - d. Reference setting, changes
- 20. Silent loads See "Sub-Sonic Loads"
- 21. Silhouette #63-17, 72-3, 81-4, 92-13
  - A. Lever action #178-19
- 22. Single shot rifle accuracy #90-11
- 23. Sizing die #23-13
  - a. Alignment #174-4
  - b. Cleaning #208-17
  - c. Coaxial drive band sizing #109-11
  - d. Collet

e. Concentric	#159-17
f. Custom supplier	#197-3
g. Expansion	#99-11
h. Hanned Precision Coaxsizer	#60-16
i. Grossly oversize bullets	#37-23
j. Undersize sizing die	#163-24
24. Sizing	(See "Bullets" & "Cases")
a. Coaxial drive band sizing	#208-17
b. Revolver cylinders	#198-5
c. Variable sizing pressure	#65-3
25. Slam fire	#113-12,
26. Slug	
a. 20 gauge	#176-6, 178-13, 203-16
b. 12 gauge	#67-2, 127-8, 206-8
c. Measurement	#145-5, 169-4, 174-5, 178-12, 184-11
27. Small bore cast bullets	#41-15
28. Smoking bullet moulds	#9-3, 10-5, 14-2,
29. Soap in bullet lubes	#168-17
30. Softnose casting	#60-15, 62-16, 81-15, 84-22, 95-20,
31. Soldering, bore	#59-2
32. Sound barrier instability	#97-4, 98-9,
33. Sound level testing	#192-3
34. Speaking Frankly:	
a. Adequate accuracy with simple techniques	#22-2
b. BOWM bullets	#52-4, 58-29
c. Case trimming	#39-5
d. Concentricity	#24-3, 163-7
e. Early CB wildcats	#31-5
f. Hoch #80 bullet	#37-9
g. Indoor shooting	#27-4, 164-4
h. Loading at the range	#54-4
i. Marlin models 93 and 36	#77-5
j. Match gun control	#66-4, 67-5
k. Medium bores for cast bullets	#23-3, 161-6
l. Memories of the .30-30	#191-6
m. Neck length & accuracy	#174-7
n. One gun solution	#68-10, 69-5
o. Roundballs in rifles	#28-8, 85-6, 165-6
p. Straight cases	#19-7, 61-4, 159-4
q. Swaged bullets (.30 cal.) & powders	#36-5
r. Swaged round balls	#44-5
s. Throat diameter	#32-4, 169-5
t. WW I military with cast	#55-7, 56-9, 57-8

u. .25-20 single shot and repeater	#60-4
v. All around load for .30s	#35-___, 172-12
e. All around bullet for .30s -- 311291	#175-5
x. .30-30	#29-3, 33-7, 46-5, 160-11, 166-12, 170-6, 190-11, #98-5, 99-5, #168-5
y. .300 Savage	#79-5
z. .303 Savage	#76-5, 168-5
A. .303 British	#58-3
B. .32 Special	#59-4
C. .300/3000 RAM	#42-6, 80-4, 158-4, 161-6
D. 8mm "J" bores and .32 cal. cast	#171-4
E. .35 caliber	#50-4, 53-4, 171-4
F. 44 Caliber Lead loads	#65-4
G. .44-40	#30-5, 49-4, 64-4, 81-5, 167-5
H. .45 caliber "concoction" load	#51-4
I. .45-70 & 45-90	#62-4, 63-4, 64-4
J. .450-100-450 Express	#73-5
K. .50-375	#70-7
L. .577/.450 Farquarson	#63-6
M. .577 Snider	#43-4, 87-13
35. Specialty loads	#71-18
36. Split nose bullets	
37. Springfield rifles with cast	
38. Sprue plates	
a. Alloy buildup	#16-6
b. Lee, fitting	#174-21, 182-12
c. Maintenance kit	#148-16
d. New (1986) RCBS sprue plates	#63-24
e. Off-Center	#6-3, 9-4, 12-4, 60-14
f. Sharp cut-off	#30-15
g. Sharpening	#175-20
h. Smaller holes	#83-20, 84-8
i. Torn sprue	#69-3
39. Squib loads	See "Sub-Sonic loads"
40. Stability, bullet	
a. In slow twist .44s	#175-16
41. Standard deviation	#113-16,
42. Starting loads for cast rifle bullets	#206-14
43. Steel cases, pistol	#173-3
44. Strikers for sluggish actions	#65-23
45. String measuring (targets)	#192-3
46. Stocks	
a. Fiberglass	#37-18
b. Finish (truck bed liner)	#193-13
47. Stuck case puller (homemade)	#203-3
48. Sub-Sonic loads (silent)	#27-9, 36-6, 40-12, 53-6, 55-29,

- |                        |   |
|------------------------|---|
|                        | 58-23, 61-22, 63-6, 64-5,<br>81-4, 85-13, 122-7, 124-12,<br>163-3,<br>#44-5, 63-3 |
| 49. Swaged round balls |   |
| 50. Swaged bullets     | #112-4  |
| 51. Swap barrel        | #42-3, 42-11, 72-5  |

**-T-**

- |   |                               |
|---|-------------------------------|
| 1. Table, accessory (homemade)            | #174-22                       |
| 2. Tallow, salt in                        | #98-6                         |
| 3. Taper cast bullets (convert Lyman die) | #127-15, 210-13               |
| 4. Targets                                |                               |
| a. For aging eyes                         | #122-15                       |
| b. Moving backer system                   | #49-32                        |
| c. String measure                         | #192-3                        |
| 5. Teflon                                 |                               |
| a. Break free CLP                         | #142-16                       |
| b. Patching                               | #69-13                        |
| 6. Temperature                            |                               |
| a. Alloy                                  | #17-9, 45-6                   |
| b. Barrell                                | #88-4                         |
| c. Lead pot                               | #122-3                        |
| 7. Thompson/Contender                     | See "Pistols & Bullets"       |
| 8. Thompson/Contender accuracy            | #43-19                        |
| 9. Throat                                 |                               |
| a. 94 Winchester                          | #110-7                        |
| b. Bullet, matching to                    | #94-3, 118-15                 |
| c. Cast bullet chambers                   | #61-2, 101-4, 107-3,          |
| d. Castings (impact)                      | #163-19                       |
| e. Deep                                   | #207-16                       |
| f. Diameter                               | #32-4, 44-4                   |
| g. Difficult                              | #165-4                        |
| h. Erosion                                | #73-21, 154-13, 156-17, 157-5 |
| i. Fouling                                | #202-17                       |
| j. Handi-Rifle                            | #175-3                        |
| k. Lapping                                | #154-17                       |
| l. Revolvers                              | #71-14                        |
| m. Thompson/Contender                     | #43-19, 44-2                  |
| n. Throat slugs, bumping                  | #144-15                       |
| o. Wear (cleaning rods)                   | #127-11                       |
| 10. Tightening, primer pocket             | #169-3                        |

11. Tips, miscellaneous	#3-10, 4-4, 5-1, 5-5, 10-2, 78-27, 139-6, 144-15
12. Top punch, floating	#177-3
13. Triggers	#59-16,
a. 1891 Mosin-Nagant	#118-9, 169-20
b. Remington 788	#118-10
14. Trimmer, case (powered)	#140-14
15. Tubes, paper (to reduce case volume)	#126-10
16. Tubing micrometer	#151-18
17. Tumbling	
a. Brass damage	#99-4
b. Media	#100-21,
(1) Ceramic	#204-15
c. Rotary with liquid	#200-14
18. Tuning	
a. Moulds	See "Moulds - Tune up"
b. Ruger #1	#83-4
19. Turret press	#161-8
20. Twist	
a. Determining proper	#48-5, 121-5
b. Modified formula for determining	#102-13, 121-5, 125-14
c. Twist for heavy .222	#48-3

## -U-

1. Ultrasonic case cleaning	#96-16,
2. Uniform powder charges	#122-13
3. Unlubed bullets	#114-7, 115-13,

## -V-

1. V-Block (measure 5-groove)	#105-17
2. Vapor Phase Inhibitor paper (VPI)	#86-16, 87-10
3. Varmints, cast bullets on	#36-8, 67-18
4. Velocity, comparing with accuracy	#68-8
5. Velocity variation on bullet drop	#41-19
6. Velocity, high with soft alloys	#72-13, 76-4
7. Vice for making bullet moulds	#163-9
8. Vinegar, cleaning cases in	#86-6
9. V-Check	See "Visco-Check"
10. Visco-Check	#155-14
11. Voids, bullets	#16-5, 127-16, 167-20, 168-16,

12. Volume, case (reduction by paper tubes)

#126-10

-W-

- |                                   |  |
|-----------------------------------|--|
| 1. Mag wheel weight caution       | #64-7  |
| 2. Wads                           |  |
| a. Cast loads                     | #16-6, 61-2, 68-13   |
| b. Graphite                       | #108-5, 111-15   |
| c. Milk carton, paper             | #126-15  |
| d. Poly (PVC, P-Chec)             | #71-8, 74-23, 76-13, 86-12,<br>96-16, 96-21, 112-7, 114-8,<br>189-17 |
| e. Punches                        | #87-9, 114-8,  |
| f. .45-70                         | #60-3, 126-15  |
| 3. Wasp-waist bullet              | #128-12, 130-9   |
| 4. Weighing bullets               | #42-19, 132-12, 160-16   |
| 5. Weights, calculating bullet    | #14-4  |
| 6. Weight variation               | #114-4, 132-12   |
| 7. Wheel weights                  | #42-23, 71-3, 154-9, 156-19  |
| a. Contamination                  | #189-14  |
| 8. Wildcats (see "Rifles")        | #31-5,   |
| a. Cast bullet wildcats           | #31-5, 56-25   |
| b. Computer program               | #67-11   |
| c. 7mm BR                         | #37-7  |
| d. .30-444                        | #42-12   |
| e. .30 Contender                  | #41-13   |
| f. .30 x \$2.00 (.30/.35 Rem)     | #56-6  |
| g. .30 Herrett LN                 | #57-18   |
| h. .300/3000 RAM                  | #58-3  |
| i. .308 BR                        | #21-13   |
| j. .30/357                        | #56-12, 60-7   |
| k. .30 USA                        | #172-17  |
| l. .35 Greevy Express (.35/45-70) | #56-3  |
| m. .35/30-30                      | #18-2, 51-12   |
| n. .35 Waller                     | #133-6   |
| o. .416 x .300 WSM                | #175-7   |
| p. .50-375                        | #62-2  |
| 9. Wind effects on groups         | #42-16, 100-12,  |
| 10. Wind flag                     | #125-12, 128-8, 159-9, 160-13,<br>164-17                             |
| 11. Wire edges on bullet bases    | #61-24   |

12. Wrench, action

#169-20

**-X-**

**-Y-**

**-Z-**

1. Zinc (z-mak) bullets

#25-2, 27-2

\*\*\* Somehow I have managed to omit the edition and/or page to a few articles. In the event that you find these, and know what the correct citation is, please notify me so that they can be changed.  
[jleeguthrie@sbcglobal.net](mailto:jleeguthrie@sbcglobal.net)