

INDEX
TO
"THE FOULING SHOT"
VOLUMES 1 - 201

CURRENT THROUGH OCTOBER 2009

© J. Lee Guthrie 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001,
2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009

*ACCIDENTAL OMMISSIONS ****

-A-

- | | |
|-----------------------------------|---------|
| 1. Accuracy | |
| a. Average | #171-3 |
| b. Cast bullets | #22-2 |
| c. Comparing with velocity | #68-8 |
| d. In general | #192-16 |
| e. Kpsi/BHN ratio | #170-12 |
| f. Poor bore | #189-13 |
| g. Revolver | #121-16 |
| h. Wheel weights and slow powders | #168-21 |
| 2. Acra-eez mould release | #64-27 |
| 3. Actions | |
| a. Hoch single shot | #67-10 |
| b. Wrench | #169-20 |
| 4. Adjustment, iron sight | #117-5 |
| 5. Alloys: | |
| a. Aging | #89-4 |
| b. Antimony | #108-3 |

| | |
|--|------------------------------|
| c. Arthur S. Green Metals | #66-7 |
| d. Babbitt metal | #68-3, 186-13 |
| e. Battery plates | #14-2, 19-16, 71-4 |
| f. Brinell vs. Tensile Strength | #96-6 |
| g. Castmatic | #112-5 |
| h. Cleaning alloy | #59-25, 169-14 |
| i. Copper | #85-4, 90-6 |
| j. Densities | #147-3 |
| k. Enrichment | #113-13, 184-20, 185-10 |
| l. Hardness | |
| (1) Determining, simple method | #129-15 |
| (2) How hard is good | #36-12, 59-16 |
| (3) Versus chamber pressure | #188-4 |
| m. High velocity with soft alloys | #72-13 |
| n. Integrity | #70-13, 72-19, 92-3 |
| o. Japanese wheelweights | #63-10 |
| p. LBT hardness tester | #59-3 |
| q. Metallurgy of lead bullet alloys | #192-10 |
| r. Lyman #2 | #184-20 |
| s. Mag wheel weight caution | #64-7 |
| t. Mercury for hardening | #68-2 |
| u. Mid-range pistol alloy | #66-2 |
| v. Mollohan's Mix | #52-30, 53-12, 74-20, 75-6 |
| w. Mixtures and consistency | #30-17, 70-13, 87-4, 176-19, |
| x. Monotype and foundry type | #28-2, 63-2, 70-4 |
| y. Phase diagram (lead/tin/antimony) | #19-2 |
| z. Shot | #107-4 |
| A. Soft, grease gun effect | #133-9 |
| B. Solder (lead-tin) | #89-8 |
| C. Sources | #32-11, 64-21, 83-3 |
| D. Speeding up precipitation hardening | #62-2 |
| E. Tables | #22-13, 24-16, 28-4 |
| F. Taracorp Magnum Alloy | #30-16 |
| G. Temperature | #45-6, 70-13 |
| H. Ternary | #17-5 |
| I. Two alloy hunting mixtures | #61-6, 78-4, 88-3 |
| J. Uniformity | #66-14 |
| K. Velocity | #76-4 |
| L. Wheelweights | #15-2, 42-23, 71-3 |
| M. Zinc | #25-2, 27-2, 92-3 |
| 6. Alox, liquid | #115-8, 145-6 |
| 7. Alloying | |
| a. Guide | #74-19 |
| b. System | #121-8 |
| 8. Aluminum gas checks | See "Freechecks" |
| 9. Aluminum moulds | #32-3, 47-3, 78-17 |

| | |
|------------------------------------|--|
| 10. Ammunition, OLD (rejuvenating) | #142-16 |
| 11. Annealing | |
| a. Case necks | #83-3, 86-8, 90-10, 91-4, 148-15, 150-3, 165-12 |
| b. Gas checks | #20-10, 103-8, 114-14, 120-11, 151-21, 155-22 |
| c. Machine | #157-13 |
| d. Nose cast bullets | #82-21 |
| 12. Antimony alloying & source | #168-14, 168-15 |
| 13. Apache Blue lube | See "Lube" |

-B-

| | |
|--|----------------------------------|
| 1. Backing system, moving | #123-9 |
| 2. Ball, Round | #44-5, 63-3, 106-7, |
| 3. Ballistic coefficient of cast bullets | #54-2, 86-7, 95-13, 98-11, 134-8 |
| 4. Barrels: | |
| a. Barrels for cast bullets | #16-7, 49-2, 50-33 |
| b. Bore condition | #20-2, 56-2 |
| c. Bore measurements | #40-28 |
| d. Bore soldering | #59-2 |
| e. Break-in | #76-3, 90-13 |
| f. Chrome molybdenum vs. stainless steel | #168-19 |
| g. Cleaning and maintenance | #136-6, 142-14, 151-10, 152-4 |
| h. Cast bullet throating | #61-2 |
| i. Chambering by hand | #90-5 |
| j. Conditioning | #189-13 |
| k. Crowns for cast bullets | #179-16 |
| l. Erosion | #154-13, 156-17, 157-5 |
| m. Form factors | #12-2 |
| n. Generally | #10-2 |
| o. Glass bedding | #42-5 |
| p. Inside bluing | #33-17 |
| q. Inside dimensions | #19-14 |
| r. Lapping | #146-18, 151-17 |
| s. Length for 25-20 | #200-3 |
| t. Life | #154-13, 156-17, 157-4 |
| u. Micro-Groove | #31-13, 74-15 |
| v. Military | |
| (1) Stepped contour | #187-24 |
| w. Revolver, setting up | #68-5 |
| x. Re-boring | #16-7, 41-3 |
| y. Re-chambering | #99-4 |

| | |
|-------------------------------------|---|
| z. Re-lining | #188-3 |
| A. Rifling, Enfield type | #65-2 |
| B. Ruger #1, Douglas | #98-3 |
| C. Seasoning barrels | #51-30 |
| D. Seating depth | #86-3 |
| E. Smoothing barrels | #79-7 |
| F. Temperature | #88-4, 89-5 |
| G. Throating | #107-3 |
| H. Too smooth | #151-17 |
| I. Twist problem | #25-2, 28-5 |
| J. Two groove Springfield | #91-3 |
| K. Used, fitting | #85-4 |
| L. Weight | #91-27 |
| 5. Bases | |
| a. Bullet | #126-15 |
| b. Chamfer tool | #144-3 |
| c. Scope (fitting) | #61-23 |
| d. Squareness | #146-3 |
| e. Upset | #194-9 |
| 6. Battery plates | #14-2, 71-4 |
| 7. Bedding, rifles | #15-5, 16-3, 99-14 |
| 8. "Belly" guns – accuracy | #195-9 |
| 9. Berdan cases, salvaging | #78-18,83-25 |
| 10. Birdshot loads in pistols | #169-13 |
| 11. Black powder cartridge shooting | #71-21, 84-5, 106-8, 128-15 |
| 12. Black powder cartridge cleaning | #93-9 |
| 13. Blazer cases | #104-10 |
| 14. Blow-back | #111-13, 174-12 |
| 15. Bolt | |
| a. Handles, breaking M-788 | #65-23 |
| b. Gun, making from scratch | #81-9, 84-12 |
| c. Size to case head | #95-3 |
| 16. Bore | |
| a. Cleaner | #8-3, 10-3, 60-2, 62-2, 95-9, 96-9, 98-15, 100-8, 113-9, |
| b. Cleaning tips | #63-25 |
| c. Fouling | #100-9 |
| d. Ironing | #93-8 |
| e. Lapping | #82-21 |
| f. Leading | #81-4 |
| g. Polishing | #199-6 |
| h. Rough | #33-15, 82-7 |
| 17. Box, shooting | #126-13 |
| 18. Brake, muzzle (KDF) | #89-17 |
| 19. Brass | |
| a. Cleaning | #198-13 |

| | |
|---|--|
| b. Problems with military .308 | #128-11 |
| c. Reforming (see "Rifle" or "Pistol") | |
| d. Salvaging Berdan | #78-18 |
| 20. Breach seating | #1-1, 34-2, 37-23, 42-23, 83-3 |
| 21. Brinell vs. PSI | #201-10 |
| 22. Buckshot | #127-8 |
| 23. Bullet: | |
| a. Age hardening or softening | #144-3, 192-10 |
| b. Alberts 154 gr. FN | #42-4 |
| c. Bases | |
| (1) Base upset | #128-5, 197-9, 198-10 |
| (2) Chamfer tool | #144-3 |
| (3) Comparing plain base to gas check | #152-15, 166-17 |
| (4) Dents in | #121-14 |
| (5) Filing | #198-15 |
| (6) Seating depth | See "Seating depth" |
| (7) Squaring | #98-15 |
| (8) Wire edges | #61-24 |
| d. Bent bullets | #59-24 |
| e. "Blue" | #69-2 |
| f. Boat Tail | #95-13, 97-9, 119-4 |
| g. Bumping | #14-5, 16-2, 18-13, 19-9, 19- 15, 20-16, 32-2, 44-22, 59-24, 60-16, 70-2, 79-4, 89-3, 131-11, 132-10, 134-8, 134-10, 144-15, 146-3, 153-9, 154- 4, 172-3 |
| h. Casting technique | #47-21 |
| i. Chapman custom hunting moulds | #26-13 |
| j. Comparing calibers (6mm to .30) | #50-28 |
| k. Copper plated | #47-2 |
| l. Counter | #108-16 |
| m. Cryogenic treatment | #126-19 |
| n. Deformation & shooting | #7-2, 198-17 |
| o. Eagan Bumping Stop for RCBS & Lyman Sizers | #35-13 |
| p. Eagan MX 2-22 in .222 | #48-19 |
| q. Expansion | #19-4, 113-14, 143-10, 169-18, 181-10, |
| r. Fit | #167-18, 173-___, 177-12 |
| s. Flat base, making | #161-17 |
| t. Frosting | #100-18, |
| u. Gould 330 grain hollowpoint | #109-10 |
| v. Hammer swaging | #105-19, |
| w. Hammerheads | #48-12 |
| x. Hardness | #74-3, 80-3, 114-19, 136-10, 170-12, 188-4, 201-10 |
| y. Heat treating | #22-9, 29-2, 31-8, 33-3, 37-3, 37-5, 37-19, 39-11, 55-3, |

| | |
|---|--|
| | 62-16, 63-2, 79-4, 142-15 , 144-20, 169-14, 182-3 |
| z. Heavy bullets in .44 mag & .45 Colt | #67-8 |
| A. Heeled bullets | #121-3, 125-3 |
| B. Hoch #730 .30 cal. mould | #26-11 |
| C. Hoch #80 | #37-9 |
| D. Hollow points | #21-5, 24-9, 30-8, 67-18, 87- 12, 113-10, 169-18, 198-7 |
| E. Hunting | #26-10, 27-7, 59-18, 61-6, 182-3 |
| F. Ideal diameter | #38-2 |
| G. Lee 7mm - 130 gr. | #48-26 |
| H. Length | #135-12 |
| I. Lubrication of "as - cast" | #36-15 |
| J. Lyman | |
| (1) #308403 Pope | #180-12 |
| (2) #311291 Lyman | #40-6 |
| (3) #311299 | #182-19 |
| (4) #323471 Lyman for 8mm Rem. Mag | #55-26 |
| (5) #457191 in .45 Colt | #63-20 |
| K. M-EX 2 - .243 | #51-10 |
| L. Measuring service | #180-3 |
| M. Moly coating (see Molybdenum sulfide) | |
| N. NEI | |
| (1) "DD" (dimensional details) | #135-4,135-6 |
| (2) | #43-15 |
| (3) .30 Wasp-Waist | #128-12 |
| O. Nomenclature | #76-16 |
| P. Obturation of cast bullets | #41-10, 55-19, 150-15 |
| Q. Orientation | #77-11 |
| R. Oversize | #174-11 |
| S. Patching | |
| (1) Paper patching | #50-39, 78-20, 105-16, 114-15, 159-15, 177-10 |
| (2) Wire patching | #177-17 |
| T. Plain based | #37-6, 41-4, 63-16, 65-13, 148-3 |
| (1) .32 Win Spec plain base v. gas check 321297 | #175-12 |
| U. Puller, collet (slipping) | #142-16 |
| V. Quench-Annealing | #53-27, 57-24, 58-9 |
| W. RCBS 145-7 mm silhouette | #43-21 |
| X. RCBS .30 - 165 and 180 | #46-14 |
| Y. RCBS 145-7mm | #50-38 |
| Z. RCBS .22 (22-055-FN) | #65-7 |
| AA. Reverse seating | #187-___, 198-14 |
| BB. Revolver bullet design | #68-7 |
| CC. Rounded edges | #168-3 |
| DD. Seating depth | #17-6, 75-4 |

| | |
|--------------------------------------|---|
| EE. Segregating cast bullets | #68-23, 136-11 |
| FF. Self-defense cast bullets | #180-10 |
| GG. Shrinkage voids in large bullets | #16-5 |
| HH. Shape | #4-4 |
| II. Sizing | #24-16, 60-16, 63-2, 65-3, 70-15, 78-3, 89-14, 111-9, 170-20 |
| (1) Nose first | #140-8, 161-9, 189-11 |
| JJ. Small bore | #18-13, 41-15 |
| KK. Softnose | |
| (1) LBT Caster | #60-15 |
| (2) Lead roundball method | #121-11 |
| LL. Spitzer | #29-20 |
| MM. Split nose | #43-4, 87-13, 113-10, 118-12, |
| NN. Stability | #50-8, 137-11 |
| (1) In slow twist .44s | #175-16 |
| OO. Sticking in mould | #180-3 |
| PP. Taper die | #175-20, 210-13 |
| QQ. Tapered lead bullets | #38-8, 56-3, 60-16 |
| RR. Teflon taped | #46-3 |
| SS. Tipping | #81-3 |
| TT. Too long for .30-06 | #44-3 |
| UU. Tweezers | #188-14 |
| VV. Unlubed bullets | #114-7, 115-13, 116-12, 117-4, #127-16, 163-13, 168-16 |
| WW. Voids in | #180-5 |
| XX. Wadcutters | #128-12, 130-9 |
| YY. Wasp-waisted | #169-19 |
| ZZ. Wear, bullet | #42-19, 158-9 |
| AAA. Weighing bullets | |
| BBB. Weight | |
| (1) Calculating | #14-4 |
| (2) Segregating | #132-12 |
| CCC. Without lube, shooting | #80-8 |

-C-

| | |
|--|--|
| 1. Cartridge case, .30-30 w/small primer | #67-11 |
| 2. Case | |
| a. Annealing | #83-3, 86-8, 87-8, 90-10, 91-4, 139-5, 140-3, 148-15, 150-3, 165-12 |
| b. Capacity | |
| (1) Reducing | #73-24, 113-9, |
| (2) Small vs. Large | #145-20 |
| c. Cleaning | #86-6, 92-9, 93-9, 96-16, 159-15, 160-19 |

| | |
|--|-----------------------------|
| (1) Alloy | #169-14 |
| (2) Mold blocks | #199-11 |
| (3) Rusty mold blocks | #199-13 |
| d. Crimping | #96-21 |
| e. Collet bullet pullers (slipping) | #142-16 |
| f. Deburrer | #87-14 |
| g. Design | #73-14 |
| h. Fillers | #78-3, 113-9, 123-3, 126-5, |
| i. Head alteration | #86-11 |
| j. Head size to bolt size | #95-3 |
| k. Marking | #165-3 |
| l. Military, sizing | #107-3 |
| m. Mouth flaring, reaming, & expanding | #9-4, 15-5, 79-3 |
| n. Neck | |
| (1) Cleaning | #151-3 |
| (2) Expansion | #75-4, 111-10, 125-5 |
| (3) Length | #79-4, 147-14 |
| (4) Sizing | #187-22 |
| (5) Tearing | #117-12, 117-13, |
| (6) Tension | #12-3, 40-29, 100-18, 125-5 |
| (7) Thick | #117-14, |
| (8) Trimming | #41-21 |
| o. Optimum .30 case capacity | #48-28 |
| p. Preparation | #60-26 |
| q. Salvaging Berdan | #78-18 |
| r. Short, causing leading | #119-7 |
| s. Shortening, cause of | #119-8, 120-8, 135-6 |
| t. Shoulder setback | #98-15, 140-17 |
| u. Small vs. standard | #43-2 |
| v. Spinning | #68-24 |
| w. Spring-back | #186-3 |
| x. Steel pistol, | |
| (1) reloading | #173-3 |
| (2) .45 auto | #174-3 |
| y. Straight | #18-5 |
| z. Trimming | #39-5, 140-14, 141-5 |
| A. Tumbling | #34-13 |
| B. Undersize sizing dies | #163-24 |
| C. Voids, air bubble | #167-20 |
| D. Weighing | #31-4 |
| E. Weight variation | #74-4 |
| F. Wet cleaning | #159-15 |
| 3. Cast bullets for handgun silhouette | #34-4 |
| 4. Cast bullets in military rifles | #34-3, 55-7, 56-9, 57-8 |
| 5. Cast Checks | #80-12 |
| 6. Casting: | |

| | |
|------------------------------|--|
| a. Basics | #50-20 |
| b. Bottom pour | #141-16, 147-7 |
| c. Bubbles | #73-9 |
| d. Dipping versus dropping | #63-14, 73-9, 73-26, 120-19, |
| (1) Open dipping | #167-8 |
| e. Dross, problems | #72-4 |
| f. For iron targets | #30-2 |
| g. Heat treating | See "Bullets" |
| h. Hollow points | #30-8 |
| i. Humidity | #40-3 |
| j. Inert gas | #163-22 |
| k. Ladle pour | #147-7 |
| l. Lead pots | #49-15, 55-22, 67-30 |
| m. Match bullet reject rates | #63-13 |
| n. Methods | #174-13 |
| o. Oxidation barrier | #54-25, 57-29 |
| p. Safety | #49-15, 67-30, 77-7 |
| q. Soft Nose | #81-15 |
| r. Sprue holes, smaller | #83-20 |
| s. Standing wave | #167-8 |
| t. Surface tension | #30-2 |
| u. Techniques | #5-7, 18-7, 47-21, 70-11, 81-20, 94-20, 152-8, 154-18, 180-9 |
| v. Temperature | #17-9, 23-9, 36-14 |
| w. Tips | #144-15 |
| x. Weight variation | #80-3 |
| 7. Cerrosafe (chamber casts) | #40-28, 70-2, 106-13, |
| 8. Chamber | |
| a. Adapters | #188-9 |
| b. Damage, .38 in .357 | #99-3 |
| c. Nomenclature | #36-4, 76-15 |
| d. Measurements | #40-28, |
| (1) Chamber slug | #145-5 |
| e. Out of square | #77-3 |
| f. Pressure | #41-5, 131-10, 188-4 |
| g. Revolver, measuring | #40-2 |
| h. Ringing | #4-2, 27-2, 37-22, 66-17, 69-8, 73-3, 74-13, 77-10, 78-12 79-13, 80-3, 83-24, 84-3, 85-3, 91-16, 140-13, 142-15, 144-7, 146-20, 185-11 |
| i. Throat size | #25-10, 97-18, 101-4, 165-4 |
| 9. Chambering by hand | #90-5 |
| 10. Chambering tips | #26-8 |
| 11. Checks, disc | #168-8 |
| 12. Cleaner, bore | #8-3, 10-3, 20-6, 60-2, 62-10, |

| | |
|--|--|
| | 100-8, 113-9, 140-12, 150-25, 161-25, |
| 13. Cleaning | |
| a. Bore | #22-14, 63-25, 90-15, 95-9, 130-5, 151-10, 152-4, 185-18 |
| b. Brass | #198-13 |
| c. Cases | #86-6, 92-9, 160-19 |
| d. Lead in quantity | #59-25 |
| e. Rods | #124-3, 127-11, 145-15, 147-9 |
| f. Moulds | #73-22, 153-3, 170-3 |
| 14. Coaxsizer | #60-16, 61-10, 82-5, 161-12 |
| 15. Collet Die, Lee | #174-20 |
| 16. Competition, ideal bore size for | #155-10 |
| 17. Composite CB's on chucks | #66-20 |
| 18. Computer programs for shooting | #67-11, 75-13 |
| 19. Contender, T/C | #39-9, 41-13, 44-2, 46-8, 51-26, 54- 15, 55-2, 56-14, 57-3, 73-4, 81-3 |
| 20. Conversions (T/C) (.45/70, .444, & .40/65) | #46-8 |
| 21. Conversion cylinder (Taylor's Drop-in) | #170-19 |
| 22. Cookie cutter, lube | #169-22 |
| 23. Copper | |
| a. Alloys | #85-4, 90-6 |
| b. Foil wrapped bullets | #106-12 |
| c. Fouling and bore soldering | #59-2, 95-9 |
| d. Plated bullets | #47-2 |
| 24. Corbin bore cleaner | #19-8 |
| 25. Correlating cast & jacketed loads | #64-2 |
| 26. Cowboy guns & loads | #143-18, 144-22, 193-7 |
| 27. Cream-of-Wheat (COW) loads | #122-8, 125-7, 126-5, 132-5 |
| 28. Crimper, gas check | #76-3 |
| 29. Crown, barrel | #179-16 |
| 30. Cryogenic barrel treatment | #126-19, 193-6 |
| 31. 6mm "CBC" cases | #49-7 |
| 32. Cutting, gas | #7-1 |
| 33. Cylinder, revolver – sizing to | #198-5 |

-D-

| | |
|----------------------------|---------|
| 1. Decapper, home made | #161-13 |
| 2. Definitions | |
| a. Chamber nomenclature | #36-4 |
| b. Projectile nomenclature | #37-11 |

| | |
|---|-----------------------|
| 3. Defect, effect of visual defect | #112-12 |
| 4. Deformation, bullet | #7-2 |
| 5. Degreasing cosmolene military stocks | #144-3 |
| 6. Dents in bullet bases | #121-14 |
| 7. Dies | |
| a. Lee, collet type | #121-4, 174-20, 179-3 |
| b. Cleaning | #174-5 |
| c. Re-loading | #59-23, 67-15 |
| (1) enlarging for cast bullets | #177-8 |
| d. Size, tapering | #140-11 |
| e. Taper | #93-3, 181-12 |
| 8. Dippers vs. measures | #75-3 |
| 9. Disc checks | #168-8 |
| 10. Drag from lube grooves | #169-24 |
| 11. Drawing heat treated bullets | #66-2 |
| 12. Dripping lead pot, cure | #167-3 |
| 13. Dropout, difficult bullet | #130-11 |
| 14. Dross, excessive | #69-2, 72-4 |
| 15. Dry lubricant | #43-8 |
| 16. Duplex loads | |
| a. Blackpowder in .45-70 | #37-4 |
| b. In General | #195-7 |
| c. Smokeless | #123-7 |

-E-

| | |
|--------------------------------------|-----------------|
| 1. E-A-R muff | #57-13 |
| 2. e-mail | #143-12 |
| 3. Electrochemical polishing | #127-17 |
| 4. Ed's Red (bore cleaner) | #140-12, 161-25 |
| 5. Etching | #129-8 |
| 6. Equipment: | |
| a. Acra-eez mould release | #64-27 |
| b. Auto-Disk linkage repair | #188-10 |
| c. Ballard reloading tools | #136-16 |
| d. Bennet base trimmer | #33-31 |
| e. Brownell's Lead-out | #81-25 |
| f. Bullet base chamfer tool | #144-3 |
| g. Case expanding die, Lee Universal | #175-19 |
| h. Chamber reamer rental | #145-5 |
| i. Crimper, gas check | #76-3 |
| j. Deburrer, case | #87-14 |
| k. Decapper, boxer and Berdan | #144-13, 161-13 |

| | |
|--------------------------------------|---|
| l. Dies | |
| (1) Bumping, bullet | #131-11, 132-10 |
| (2) Homemade full length sizing dies | #166-21 |
| (3) Lee collet, improving | #179-3 |
| (4) Loading | #59-23, 67-15 |
| (5) Lubrisizer modification | #145-6 |
| m. Dipper casting | |
| (1) Open dipper casting | #167-8 |
| n. Disc checks | #168-8 |
| o. Eagan .30-T tapered sizing die | #45-14 |
| p. Eagan gas check seater | #31-15 |
| q. Electronic bore cleaner, homemade | #95-9, 96-9, |
| r. Freechec | #44-7, 58-5, 59-12, 60-13, 67-24, 155-13 |
| s. Gas check spreader (expander) | #94-21, 159-16, 177-11 |
| t. Gauge, OAL | #176-14 |
| u. Getting started (basics) | #33-19 |
| v. Guides, rod cleaning | #27-13 |
| w. Hanned Precision Coaxsizer | #60-16, 61-10, 78-9 |
| x. Hardness tester, lead | #123-11, 155-21, 175-14, 194-3 |
| y. Heat treating bullet holder | #109-4 |
| z. Homemade loading tools | #67-15 |
| A. Huntington Compact Press | #42-13 |
| B. JRW base wad extrusion pump | #84-20 |
| C. LBT BHN tester | #64-9 |
| D. LBT bullet moulds | #72-7 |
| E. LBT Softnose Caster | #60-15, 67-18 |
| F. Lead hardness tester | #150-11 |
| G. Lee | |
| (1) Auto-Disk powder measure | #196-19 |
| (2) Auto Index Turret | #47-19 |
| (3) Auto-Prime (safety) | #103-10 |
| (4) Case Expander | #180-3 |
| (5) Collet die as neck sizer | #89-14 |
| (6) Hardness tester | #171-8 |
| (7) Load Master | #102-8 |
| (8) Perfect powder measure | #102-8 |
| (9) Powder dippers | #73-25, 75-3 |
| (10) Zip Trim | #167-15 |
| H. Lube heater | #91-15, 100-17, 154-17 |
| I. Lubrisizer torque wrench | #150-16 |
| J. Lyman | |
| (1) Casting thermometer | #46-13 |
| (2) Gas check seater | #49-29 |
| (3) Electric powder measure | #92-16, 114-19, |
| (4) Lubrisizer | #7-3, 98-10, 155-19 |

| | |
|--|------------------|
| (a) leakage | #179-3 |
| (5) M-die | #91-14 |
| K. Magma's Master Caster | #167-15 |
| L. McLemore - Pope Universal moulds | #48-27 |
| M. Mould modification hand tools | #60-20 |
| N. NAPA dgf 123 (dry graphite film) | #174-17 |
| O. NAPA B'laster PB (penetrating oil) | #174-17 |
| P. Neck size die, Lee collet | #73-9 |
| Q. New (1986) RCBS sprue plates | #63-24 |
| R. Nexpander | #63-9 |
| S. P-Chec die (Hanned Precision) | #71-8 |
| T. Pedestal, shooting | #78-26 |
| U. Poly-wad cutter | #112-7 |
| V. Pot | |
| (1) Cover | #176-3 |
| (2) Ferguson ladle pour | #176-8 |
| (3) Homemade | #112-8, 188-11 |
| W. Potter lead tester | #111-3, 113-6, |
| X. Powder measure | |
| (1) Accuracy comparison | #197-11 |
| (2) Homemade | #116-4 |
| Y. Primer seating measurement | #185-12 |
| Z. Reamer | |
| AA. (1) adjustable depth stop | #161-8 |
| (2) sprue plate | #175-19 |
| (3) tapered | #175-20 |
| BB. Reloading | |
| (1) bench | #159-13 |
| (2) Die, enlarging for cast bullets | #177-8 |
| CC. Saeco lubrisizer | #105-15, 120-10, |
| DD. Seaters, adjustable breech | #73-26 |
| EE. Single-Flute Cutter for making bullet moulds | #166-16 |
| FF. Sizing die expansion | #99-11 |
| GG. Soft gas checks | #47-20, 48-20 |
| HH. Stop, bumping (for Lyman 450) | #19-9 |
| II. Star lubrisizer repairs | #156-18 |
| JJ. Taper die | #171-10, 175-20 |
| KK. Top punch, floating | #177-3 |
| LL. Tumblers | |
| (1) Brass damage | #99-4 |
| (2) Rotary with liquid | #200-14 |
| MM. Turret press | #161-8 |
| NN. Wad cutter | #114-8 |
| OO. Williams Gun Sight Co. | #174-19 |
| PP. Wind flags | #164-17 |
| QQ. Wrench, guardscrew torque | #69-19 |

| | |
|----------------------------|--------------------------------|
| 7. Erosion, throat | #73-21 |
| 8. Expander plug | |
| a. For revolver | #42-2 |
| b. Long Necks | #120-9 |
| c. Problems | #87-3 |
| d. Proper size | #69-4 |
| e. Two step expanding | #109-5, 119-13 |
| f. Wobble | #55-26 |
| 9. Expansion, case neck | #75-4 |
| 10. Expansion, cast bullet | #19-4, 113-14, 143-10, 181-10, |

-F-

| | |
|--|--|
| 1. Feeding problems in '03 Springfield | #102-3 |
| 2. Fillers, case | #6-2, 9-4, 9-5, 16-6, 20-6, 48-4, 61-2, 68-13, 73-3, 78-3, 78-22, 85-3, 95-20, 106-9, 122-8, 123-3, 125-7, 126-5, 126-15, 132-5, 141-7, 210-15, |
| 3. Firearms system (multipurpose guns) | #54-11 |
| 4. Fire lapping | #166-21, 168-3 |
| 5. Flags, wind | #128-8 |
| 6. Flaring, case mouth | #79-3 |
| 7. Fluxing | #25-9, 138-18, 147-8 |
| 8. Forcing cone angle | #53-2 |
| 9. Form factors, bullets | #12-2 |
| 10. Formulas (math for shooters) | #73-22 |
| 11. Foil, copper wrapped bullets | #106-12 |
| 12. Fouling | |
| a. Excessive bore | #65-2 |
| b. Shots | #91-3 |
| 13. Foundry type | #120-19 |
| 14. Freechec | #44-7, 58-5, 59-12, 67-24, 155-13 157-7 |
| 15. Frosting on bullets | #100-18 |

-G-

1. Gas checks:

| | |
|---|---|
| a. Annealing | #20-10, 103-8, 114-14, 120-11, 151-21, 155-22, 160-18 |
| b. Cast Checks | #80-12 |
| c. Crimper | #76-3 |
| d. Cup vs. crimp | #40-17 |
| e. Design, shooting without | #95-3, 148-10 |
| f. Disk Checks | #168-8 |
| f. Expander/Spreader | #94-21, 159-16, 177-11 |
| g. Fit | #41-26 |
| h. Force seating | #22-15 |
| i. Freechec | #44-7, 58-5, 59-12, 60-13, 67-24 |
| j. "Homebrew" gas checks | #63-22 |
| k. Importance of | #13-9 |
| l. In general | #138-10, 140-6 |
| m. Inverted | #158-8, 160-17 |
| n. "Lost" | #171-4 |
| o. Milk jug gas checks | #200-15 |
| p. Oversize shank | #154-4 |
| q. Polyethylene wads | #68-13 |
| r. Scale, removing | #120-11 |
| s. Seating separately | #49-11 |
| t. Shank | |
| (1) Reaming out | #178-18 |
| (2) Sizing | #188-4 |
| u. Soft GC | #47-20, 48-20 |
| v. Springback | #140-10 |
| w. Squaring up | #91-21, 103-4, 166-19, 183-12 |
| x. Swaging | #107-9 |
| y. Tight | #82-21 |
| z. Too large for bullet shank | #38-4 |
| A. Uniformity | #45-26 |
| B. .41 mag | #174-3 |
| 2. Gas cutting | #7-1 |
| 3. "Guard" or "Gallery" loads in .30-06 | #192-5 |
| 4. GI Bore cleaner | #60-2 |
| 5. Graphite | |
| a. Spray | #174-17 |
| b. Wads | #108-5 |
| 6. Grease wads | #108-5, 111-15, |
| 7. Greenhill's Formula | #48-5, 52-2, 53-38, 84-16, 98-7, 99-7, 121-5, 125-14, 157-5, 164-7 |
| a. Wadcutters | #200-13 |
| 8. Groove | |
| a. Design, lube | #150-3 |
| b. Diameter, measuring | #101-16, 104-12, 105-17, 106-10, |
| c. Drag from | #169-24 |

| | |
|-----------------------------|---------|
| 9. Group size, wind effects | #42-16 |
| 10. Guides | |
| a. Mould | #108-15 |
| b. Rod, cleaning | #27-13 |

-H-

| | |
|--|--|
| 1. Hammerheads | #48-12 |
| 2. Handgun silhouette | #63-17, 66-22, 110-21, 173-6 |
| 3. Handloading, practical | #172-13 |
| 4. Handi-Rifle, NEF | #194-14, 195-16 |
| 5. Hardening, age | #84-23 |
| 6. Hardening, mercury | #68-2 |
| 7. Hardening, precipitation | #62-2 |
| 8. Hardness | |
| a. Bullet | #74-3, 80-3, 114-19, 136-10, 192-10, |
| b. Chamber pressure and BHN | #116-11, 131-10, 201-10 |
| c. Causes or "How to" | #192-10 |
| d. Comparing bullet vs. ingot hardness | #175-15 |
| e. Interpolating pressure for BHN | #102-4, 201-10 |
| f. Method for determining | #129-15 |
| g. Testing | #23-6, 37-32, 50-17, 57-2, 59-3, 118-3, 126-9, 155-21, 201-11 |
| 9. Heat treating (See "Bullets") | #192-10 |
| a. Calibration of home oven | #39-11 |
| b. Cracked bullets | #175-13 |
| c. Quench - annealing | #53-27, 57-24, 58-9, 79-4, 92-11, 101-3, 133-16, 144-20, 199-5 |
| d. Drawing bullets | #66-2, 132-15, 152-3 |
| e. Lead vapors in | #92-5 |
| f. Leading in H & K P7 | #71-23 |
| g. Re-heat treating after coax sizing | #82-5 |
| 10. High velocity cast bullets | #52-26, 56-32, 56-33, 62-16, 67-18, 72-13, 115-5, 116-6, |
| 11. Hoch moulds | See "Moulds" and "Bullets" |
| 12. Hoch single shot action kit | #73-10, 77-6 |
| 13. Hollow point bullets | #21-5, 24-9, 30-8, 67-18, 71-16, 82-13, 87-12, 108-10, 113-10, 128-9, 198-7 |
| 14. Humidity and casting | #40-3 |
| 15. Hunting | #15-6, 18-6, 56-32, 56-33, 57-5, 57-24, 58-7, 59-18, 59-26, 61-6, 61-21, 64-8, 64-22, 67-18, 67-29, 68-17, 71-16, |

72-20, 73-17, 73-18, 74-22,
75-8, 80-14, 81-14, 82-10,
84-18, 85-12, 87-12, 87-13,
87-16, 88-8, 89-6, 90-17,
92-14, 92-16, 94-4, 94-19,
95-20, 103-15, 103-22, 104-11,
105-10, 107-11, 108-14, 121-11,
176-14, 177-4,
124-6, 141-6, 145-9, 149-14,
151-17, 156-23, 161-7, 163-8,
163-12, 165-18, 169-12, 169-13,
169-16, 171-9, 176-9, 176-13,
177-11, 177-13, 178-18, 182-15,
186-19, 193-12, 194-13, 200-12
#134-1

16. Hydraulic support (lube pockets)

-I-

- | | |
|----------------------------------|----------------|
| 1. Ignition | |
| a. Primers, in general | #3-8, 4-2, 7-1 |
| b. Problems | #66-11 |
| 2. Inert gas casting | #163-22 |
| 3. IPSC, .45ACP | #48-2 |
| 4. Ingot moulds | #126-5 |
| 5. Internet gun related groups | #129-17 |
| 6. IPSC – moulds for competition | #155-17 |
| 7. Iron sights | #169-17 |

-J-

- | | |
|--------------------------------|--------|
| 1. JRW base wad extrusion pump | #84-20 |
| 2. Jacketed bullets | #21-15 |

-K-

- | | |
|------------------------------------|-----------------------------------|
| 1. KDF Muzzle Brake | #89-17 |
| 2. Keyhole (Tipping Bullets) | #81-3 |
| 3. Kitty Litter, oxidation barrier | #8-4, 54-25, 78-28, 105-5, 107-7, |
| 4. Krag, bolt cracking | #177-12 |

-L-

- | | |
|-------------------------------------|--|
| 1. Ladle | #173-10 |
| a. Left hand | #155-21 |
| 2. Lapping | |
| a. Barrels (pressure/fire lapping) | #104-7, 110-15, 110-19, 117-3, 124-5, 125-3, 146-18, 151-17, 154-17 |
| b. Moulds | #38-3, 146-18, 154-15 |
| 3. LBT hardness tester | #59-3 |
| 4. LBT moulds | #72-7 |
| 5. Lead | |
| a. Alloying | #157-19, 176-19, 191-15, 200-17 |
| b. Backstop | #200-3 |
| c. Blowback | #174-12 |
| d. Fumes | #108-3, 109-3 |
| e. Hardness tester | #155-21 |
| f. Melting scrap | #101-14 |
| g. Metallurgy of cast bullet alloys | #192-10, 200-17 |
| h. Poisoning | #119-3, 148-3, 152-14 |
| i. Pots | #14-6, 49-15, 55-22, 67-30, 79-11, 94-20, 102-14, 122-3, #186-13 |
| (1) digital control | #186-13 |
| 6. Leade | #135-7 |
| 7. Leading | #8-2, 24-2, 59-2, 71-3, 81-4, 85-3, 94-15, 103-16, 110- 16, 119-7, 129-8, 156-21, 183-3, 201-17 |
| a. Causes | #192-7 |
| b. Cylinder | #196-19 |
| 8. Length, mould | #61-13 |
| 9. Lever action Rossi, NEI 170.358 | #42-22 |
| 10. Lever action technical tips | #36-10, 37-13, 42-21, 65-20 |
| 11. Lever action loads | #73-23, 84-3 |
| 12. Lever action strength | #74-4 |

| | |
|--|------------------------------------|
| 13. Load development | #5-1, 28-6, 69-10, 82-17 |
| 14. Loading at the range | #54-4, 61-25, 130-14 |
| 15. Loading tray for Mauser bolt actions | #148-16 |
| 16. Loads, correlating cast & jacketed loads | #64-2, 69-10 |
| 17. Lube: | |
| a. Alox | #10-4, 18-4, 115-8, 147-16, 161-11 |
| b. Apache Blue | #57-10, 67-26 |
| c. Bullet Master | #29-6 |
| d. Case, home-made | #150-21 |
| e. Chemical basis for function | #122-12 |
| f. Cold weather | #37-8, 130-8 |
| g. Comparisons | #69-17 |
| h. Cookie cutter modified | #169-22 |
| h. Darr lube | #70-3 |
| i. Diffusible components | #151-16 |
| j. Dry lube | #43-8, 44-11, 120-4 |
| k. Experimenting | #37-24, 65-30 |
| l. Flying | #93-3 |
| m. Graphite lube | #49-2, 52-10, 96-21, |
| n. Groove | |
| (1) design | #150-3 |
| (2) drag from lube groove | #169-24 |
| o. Heater, inexpensive | #91-15, 120-18, |
| p. Heating tests | #165-8 |
| q. Homemade | #99-12 |
| r. In general | #5-3, 88-10, 130-12 |
| s. LBT Blue | #54-14, 78-28 |
| t. Lee case lube | #59-3 |
| u. Lithium grease | #18-9 |
| v. M & N | #21-14 |
| (1) homemade | #186-6 |
| w. Metal lube, case neck | #68-24 |
| x. Meyer's Lube | #91-20 |
| y. Mica, NOT talcum | #173-16 |
| z. Migration (Contamination) | #170-10, 174-15 |
| A. Mold, making for lube | #161-14 |
| B. Nose lubing | #90-15 |
| C. Physical properties | #156-24 |
| D. Pockets | #134-11 |
| E. Pressure in the bore | #130-7, 136-8, 137-5 |
| F. Pump, base wad extrusion lube | #152-3 |
| G. Purging (lube purging fliers) | #120-5, 129-12 |
| H. Radix Magnum dry film | #61-14 |
| I. Rooster Red | #64-28, 78-28 |
| J. SPG | #105-16, |
| K. Smokeless | #90-3 |

| | |
|--|--|
| L. Soap in bullet lube | #168-17 |
| M. Sugar in beeswax | #55-2 |
| N. Tallow | #98-6, 100-9, |
| O. Texaco Taurak 250 | #77-5, 87-8, 163-16, 170-3 |
| P. Tumble | #153-17, 189-18 |
| Q. Water soluble | #114-16 |
| R. Without lube, shooting | #80-8, 82-14, 83-23, 84-21, 114-7, 161-13 |
| 18. Lubricate, self | #118-3 |
| 19. Lubrication | #121-12 |
| 20. Lubrisizer | |
| a. Cleaning | #66-19 |
| b. Concentric | #143-17, 148-11 |
| c. Heater | #154-17 |
| d. Lyman 45 reconditioning | #155-19 |
| (1) Leaking | #179-3 |
| e. Nose punch, floating | #119-4 |
| f. Star, repairing | #156-18 |
| 21. Lucky shots (statistics) | #192-19 |
| 22. Lyman #2 alloy | #184-20 |
| 23. Lyman moulds | See "Moulds" and "Bullets" |
| 24. Lyman Bullet Seating Die, convert to taper | #127-15 |

-M-

| | |
|-------------------------------------|---|
| 1. M-Die modification | #119-13 |
| 2. Mag-Na-Port | #82-3, 83-18, 84-4, 87-10, 120-3, |
| 3. Match Wheelgun load preparation | #81-11 |
| 4. Math for shooters | #73-22 |
| 5. Mauser M-96, Swedish -- strength | #74-3 |
| 6. Measuring | |
| a. slug | #184-11, 187-5 |
| b. targets (string measure) | #192-3 |
| 7. Melting pot shield | #152-3 |
| 8. Mercury, hardening alloy | #68-2 |
| 9. Micro - groove barrels | #36-2, 43-17, 49-27, 74-15, 191-3 |
| 10. Military Rifles | |
| a. Loading for military match | #189-9 |
| 11. Minute of angle | #120-3, 121-3 |
| 12. Moisture in casting equipment | #49-15 |
| 13. Molybdenum disulfide | #130-6, 139-9, 140-5, 144-17, 180-3, |
| 14. Monotype, diluting | #63-2, 120-19, |

| | |
|------------------------------|--|
| 15. "Moon" clips | #92-15 |
| 16. Moulds: | |
| a. Acra-eez mould release | #64-27 |
| b. Altering | #93-15 |
| c. Aluminum | #32-3, 47-3, 78-17 |
| d. Borrego | #29-6 |
| e. Burrs, cavity (removing) | #133-18 |
| f. CSS .270 | #66-29 |
| g. Cleaning | #73-22, 96-13, 118-14, 153-3, 170-3, #199-11 |
| h. Core pin lapping | #109-15 |
| i. Cutting | #161-16 |
| j. Darr | #14-9, 14-11, 15-8 |
| k. David Mos moulds | #144-27 |
| l. Dimension problems | #33-5, 60-20 |
| m. Eagan | #93-7, 167-10 |
| n. Enlarging by acid etching | #116-14 |
| o. Gang | #84-13 |
| p. General maintenance | #13-4, 113-14, 137-8, 139-17 |
| q. Gould Hollow Point | #30-5, 167-5, 186-19 |
| r. Guide | #108-15 |
| s. Handles | |
| (1) Lyman | #187-3 |
| (2) Repair | #91-20, 96-15, 111-16, 113-11, 176-3, 191-3 |
| t. Heat transfer | #37-16 |
| u. Heating before casting | #35-9 |
| v. Hoch | |
| (1) .45-70 #459355 | #51-33 |
| (2) In general | #9-3, 11-4, 28-13, 29-18, 31-14, 67-26, 68-3, 70-3, 174-9 |
| w. Home made | #181-9 |
| x. LBT | #81-6 |
| y. Lapping | #38-3, 70-2, 98-12, 109-15, 146- 18, 154-15 |
| z. Lathe boring | #165-13 |
| A. Lee | |
| (1) Block pin repair | #142-3 |
| (2) Improving | #133-17 |
| (3) Six cavity | #79-9, 185-17 |
| (a) Modification | #201-18 |
| (4) Tune up | #50-35 |
| (5) 452-255-RF | #177-15 |
| B. Lyman – Ideal | |
| (1) 287346 | #177-16 |
| (2) 299153 | #175-11 |

| | |
|-------------------------------------|--|
| (3) 311284 | #145-5, 175-5, 175-18 |
| (4) 311291 | #175-5, 175-18, 177-7 |
| (5) 311299 | #169-16 |
| (6) 311334 | #167-14 |
| (7) 311335 | #76-11 |
| (8) 311365 | #167-14 |
| (9) 311413 | #190-16, 195-15 |
| (10) 311466 | #198-18 |
| (11) 31357 | #187-7 |
| (12) 313226 | #187-7 |
| (13) 313445 | #187-7 |
| (14) 321297 | #175-12 |
| (15) 358156 | #173-19 |
| (16) 358318 | #160-19 |
| (17) 358627 | #51-17 |
| (18) 287641 | #94-12 |
| (19) 412263 | #187-5 |
| (20) 429650 | #150-13 |
| (21) 452423 | #139-12 |
| (22) 457122 HP (Gould) | #30-__, 100-3, 103-7, 105-6, 106-13, 109-10,167-5 |
| (23) 457124 | #173-__, 174-3 |
| (24) 515141 | #176-11 |
| (25) 515142 | #176-11, 187-5 |
| (26) 518145 | #176-11 |
| (27) Modifying to nose pour | #72-15 |
| (28) Overview of .30s | #136-13 |
| C. Metal for mould manufacture | #59-16 |
| D. McLemore - Pope Universal moulds | #48-27 |
| E. Mould length list | #61-13 |
| F. Mould Prep/NEI | #24-5, 25-5, 132-8 |
| G. NEI | |
| (1) 224-71 GC | #44-24 |
| (2) 301-182-PP | #177-7 |
| (3) 308-142 AB | #44-20, 45-29, 62-23 |
| (4) 308-168 | #134-12 |
| (5) 308-195 Spitzer | #45-16 |
| (6) 308-220-GC | #52 |
| (7) 311-155-GC | #65-9 |
| (8) 358-170 for Rossi lever action | #42-22 |
| (9) 358-190 | #197-3 |
| (10) 358-300-GC | #177-4 |
| (11) 458-430 GC | #52-33 |
| (12) In general | #21-8, 132-9 |
| H. Nose pour | #44-18 |
| I. Old West | |

| | |
|--|--------------------------------|
| (1) .45 Colt | #29-5, 69-8 |
| (2) 7mm and .312 | #40-15, 69-8 |
| (3) In general | #32-8, 59-11, 69-8 |
| J. P. & C. moulds | #49-13 |
| K. Pin | |
| (1) Adjustment | #176-3 |
| (2) Repair | #111-10 |
| L. Proper care of moulds | #55-25, 64-20 |
| M. Rapine | #75-9, 75-11 |
| N. Ranch dog | #197-13, 198-20, 199-18 |
| O. RCBS | |
| (1) In general | #59-14, 70-3 |
| (2) .22 (22-055-FN) | #65-7 |
| (3) 270-130-FN | #177-4 |
| (4) 429-240-SIL | #177-3 |
| P. Repairs | #77-13, 145-13, 152-19, 156-20 |
| Q. Rust | #19-13, 32-11, 57-4, 199-13 |
| R. Saeco #315 | #195-7 |
| S. Single flute cutter, making moulds with | #166-16 |
| T. Squaring | #44-9, 60-20 |
| U. Smoking | #9-3, 14-2 |
| V. SSK 431.305 | #65-14 |
| W. Sticking (bullet sticking in) | #180-3 |
| X. Storing | #42-5 |
| Y. Tapered | #56-3 |
| Z. Temperature, gauging | #144-27 |
| AA. Throat, matching to | #94-3 |
| BB. Tools to modify | #60-20 |
| CC. Tune up | |
| (1) In general | #12-5, 147-12 |
| (2) Lee moulds | #50-35 |
| DD. Vice for making bullet moulds | #163-9 |
| EE. Welsh moulds | #32-7, 40-14 |
| 17. Mouth, case reaming | #15-5 |
| 18. Mouth, case expanding | #9-4 |
| 19. Moving backing system | #123-9 |
| 20. Multipurpose guns and loads | #54-11 |
| 21. Muzzle | |
| a. Brake, KDF | #89-17 |
| b. Damage | #148-4 |
| c. Pressure | #131-7 |

- | | |
|---|-------------------------------------|
| 1. Neck | |
| a. Clearance between cartridge and neck | #173-13 |
| b. Expansion , case neck | #12-3, 75-4, 91-14, 111-10, |
| c. Ring, lead around neck | #152-9, 174-12 |
| d. Sizing | #45-30, 84-23, 137-5 |
| e. Tension, case | #40-29, 88-4, 100-18, 115-9, 152-19 |
| 2. NEI moulds | See "Moulds" and "Bullets" |
| 3. Nexpander | #63-9 |
| 4. Nitrocellulose, industrial | #86-7 |
| 5. Nose | |
| a. bumping | #172-3 |
| b. oversize | #120-14 |
| c. undersize | #154-4 |
| 6. Nosepour moulds | #44-18, 82-21 |
| 7. Nosepour, modifying Lyman to | #72-15 |
| 8. Nose punch, floating | #119-4 |

-O-

- | | |
|-------------------------------------|----------------------------|
| 1. Obturation of bullets | #41-10, 55-19, 150-15 |
| 2. Oil, penetrating (B'laster PB) | #174-17 |
| 3. Old West moulds | See "Moulds" and "Bullets" |
| 4. Optical assistance | #114-10 |
| 5. Orientation, bullet | #8-4, 77-11 |
| 6. Orientation, powder | #17-4 |
| 7. Oxidation barrier (kitty litter) | #54-25, 57-29, 78-28 |

-P-

- | | |
|----------------------------------|---|
| 1. P-Chec die (Hanned Precision) | #71-8 |
| 2. Patching | |
| a. Aluminum foil | #90-18 |
| b. Copper foil | #106-12 |
| c. Paper | #50-39, 78-20, 81-14, 86-12, 86-16, 90-18, 91-17, 93-6, 94-17, 105-16, 109-6, 110-18, 113-18, 114-15, 126-11, 137-6, 159-15, 191-18 |
| d. Mailing labels as patches | #199-14 |
| e. Teflon tape | #69-13 |

| | |
|---|--|
| 3. Penetration | |
| a. Cast vs. jacketed | #99-13 |
| b. Tests, penetration & expansion | #143-10, 150-16 |
| 4. Phase diagram (lead alloy) | #19-2 |
| 5. Pistols: | |
| a. Accuracy Primer | #121-16 |
| b. Barrels, setting up | #68-5 |
| c. Bullet design | #68-7 |
| d. Calibers | |
| (1) .22 K Hornet | #45-11 |
| (2) .222 Rem. in T/C | #57-3 |
| (3) .25-.35 Improved in T/C | #40-10 |
| (4) .250 Savage in XP-100 | #106-6, |
| (5) 6mm BR | #150-23 |
| (6) 7mm BR in Remington XP-100 | #58-2, 65-17 |
| (7) 7.62x39 | #77-3 |
| (8) .30 Carbine in Ruger | #93-6 |
| (9) .30 Herrett | #38-3, 51-26, 56-14 |
| (10) .30 Mauser | #146-7 |
| (11) 7.62mm Russian Nagant | #149-19, 179-10 |
| (12) .30-30 Contender | #54-15, 55-3, 72-3 |
| (13) .308 x 1.5 | #58-2, 77-3 |
| (14) .308 silhouette | #66-22, 77-3 |
| (15) .32 ACP | #39-23, 51-12, 186-7, 188-3, 196-12 |
| (16) .32 LC | #153-14 |
| (17) .32 S&W | #54-26, 61-24, 108-9, |
| (18) .32 S&W Long (.32 Colt New Police) | #54-26, 141-15, 187-7, 194-6, 196-12 |
| (19) .32 H&R Magnum | #41-6, 94-19, 98-12, 177-9, 197-5, 198-5, 198-21, 210-12 |
| (20) .32-20 | #97-3, 200-8 |
| (21) 8mm Lebel | #79-5 |
| (22) 9x18 Makarov | #118-8 |
| (23) 9mm | #66-26, 79-17, 142-9 |
| (24) .38 Special | #142-12, 145-17, 147-11, 180-5, 181-7, 182-7, 200-3 |
| (25) .38 Super | #158-11 |
| (26) .357 Mag | #99-3, 199-8, 210-12 |
| (27) .41 Mag | #72-20, 135-13, 139-16 |
| (28) .44 cal. | #34-9, 39-3, 40-9, 44-2, 47- 32, 52-2, 55-27, 56-2, 56-34, 64-2, 65-14, 67-8, 190-17 |
| (a) Light loads | #189-17 |
| (29) .44 mag. | #44-2, 52-2, 69-4, 83-17, 101-9, 150-13, 169-13, 190-17 |
| (30) .44/45 | #125-8 |

| | |
|---------------------------------------|--|
| (31) .45 ACP | #83-19, 91-9, 127-7, 143-13, 150-6, 151-6, 161-10, 193-7 |
| (32) .45 Auto Rim | #172-19, 191-12 |
| (33) .45 Colt | #63-20, 64-24, 67-8, 75-15, 78-16, 92-17, 96-4, 110-8, 111-14, 113-4, 150-22, 161-22, 166-22, 177-13, 177-14, 190-17, #62-5, 65-5, 77-3, 78-13 |
| (34) .454 Casull | #104-4, 131-9, 132-5, 136-12, 194-3 |
| (35) .455 Webley | #156-14 |
| (36) .480 Ruger | #45-8 |
| (37) .50 caliber handgun | #59-7 |
| e. Large bore handgun calibers | #201-17 |
| f. Leading in | #98-16 |
| g. Plain base, hot loads | #98-3 |
| h. Schuetzenfest pistol | #195-9 |
| i. Short barrel – accuracy comparison | #42-2 |
| j. Size of expander plug | #55-9 |
| k. Undercover pistols with cast | #94-13 |
| l. XP-100 | #47-2 |
| 6. Plated bullets | #69-4 |
| 7. Plug, expander - proper size | #119-3 |
| 8. Poisoning, lead | #127-17 |
| 9. Polishing, electrochemical | #71-8, 74-23, 76-13, 86-12, 189-17 |
| 10. Poly wad (P-Chec die) (PVC wad) | |
| 11. Pot, lead | |
| a. Bottom pour | #141-16, 161-11 |
| b. Charcoal on top | #185-10 |
| c. Dripping, cure | #167-3 |
| d. Dross | #77-8 |
| e. Homemade | #112-8, 114-11, |
| f. SAFETY | #49-15, 67-30, 77-7, 79-11, 85-14, 102-14, 143-3, 168-4 |
| g. Slushy | #198-17 |
| h. Temperature | #36-14, 122-3, |
| i. Tips | #106-15, |
| 12. Powder | |
| a. Dipping vs. measuring | #75-3 |
| b. Old | #181-17 |
| c. Positioning | #145-22, 173-13 |
| 13. Powders: | |
| a. Accurate Arms | #49-3, 71-20, 75-15, 106-3, 130-18, 161-20, 174-18, 175-3, #127-12 |
| b. Alliant | |
| c. Ball | |
| (1) For cast bullets | #141-10 |
| (2) Fouling | #9-2 |

| | |
|------------------------------------|--|
| (3) Reduced loads | #35-29 |
| (4) Ringing, chamber | See "Chamber ringing" |
| d. Bridging | #109-15 |
| e. Bullseye | #182-3, 197-4 |
| f. Cryogenic treatment | #126-19 |
| g. Density | #64-6 |
| h. Flake, measuring | #113-3 |
| i. For the beginner | #39-12 |
| j. For cast bullets | #95-4 |
| k. Non-canister | #74-7 |
| l. Pistol powders | #181-3 |
| m. Powder choice | #31-2 |
| n. Orientation | #17-4, 110-4 |
| o. Slow burning powders | #15- 4, 78-3, 57-26, 61-2, 86-3 |
| p. Surplus | #74-5, 141-11 |
| (1) #107 | #181-17 |
| (2) 2200 | #150-25, 155-22 |
| q. Thunderbird | #66-7 |
| r. Trail Boss | #191-19, 198-16 |
| s. Unique | #198-18 |
| t. H-4831 in .45/70 | #62-24 |
| u. H335 | #33-13, 129-5 |
| v. MP-5744 | #37-22, 45-18 |
| w. RL-7 | #33-5, 78-22, 148-4 |
| x. RL-12 | #67-24 |
| y. SR 4759 | #37-21, 109-15, 112-10, |
| z. 296 | #39-22, 44-23, 47-23, 61-2 |
| A. 700X | #181-3 |
| B. 800X | #38-21 |
| C. 2400 | |
| [1] In rifles | #29-31, 113-7, 115-12, 117-14, 119-11 |
| [2] Comparison old vs. new | #199-8 |
| [3] Newly manufactured | #194-3 |
| 14. Powder measure, Lee Auto-Disk | #196-19 |
| 15. Practical hand loading | #172-13 |
| 16. Pressure | |
| a. Chamber | #41-5, 131-10, 136-10 |
| b. Excursion phenomenon | #4-2 |
| c. In general | #12-4 |
| d. Interpolating for correct BHN | #102-4 |
| e. Lapping barrels | #104-7 |
| f. Lubricant, pressure in the bore | #130-7, 136-8, 137-5 |
| g. Muzzle | #131-7 |
| h. Pistols | #99-3 |

| | |
|-----------------------------------|-----------------------|
| i. Signs in .44 magnum | #64-2, 101-9 |
| 17. Primers | |
| a. Decapping tools | #144-13 |
| b. Hard to seat | #128-17 |
| c. In general | #3-8, 4-2, 7-1, 133-8 |
| d. Pistol in rifle cases | #68-4, 71-3, 113-16, |
| e. Pierced | #70-3 |
| f. Pocket tightening | #169-3 |
| g. Pocket uniforming | #186-16 |
| h. Protrusion | #151-3 |
| i. Switching | #133-7 |
| j. Tests | #100-12 |
| 18. Production | |
| a. Class tips | #187-11 |
| b. Rifles | #40-4, 149-11 |
| 19. Punch | |
| a. Top | #7-3 |
| (1) Floating | #177-3 |
| b. Wad | #87-9 |
| 20. Purging (lube purging fliers) | #129-12 |
| 21. Pump, base wad extrusion lube | #152-3 |
| 22. Pyrodex in .45-70 | #103-19, 113-18, |

-Q-

| | |
|---------------------|-----------------------------------|
| 1. Quench-annealing | #53-27, 57-24, 58-9, 101-3, 109-4 |
| 2. Quiet loads | See "Sub-sonic Loads" |

-R-

| | |
|--------------------------|----------------------------|
| 1. Range, loading at | #54- , 61-25 |
| 2. RCBS moulds | See "Moulds" and "Bullets" |
| 3. Reamer | |
| a. Adjustable depth stop | # 161-8 |
| b. Neck | #41-21 |
| c. Rentals | #145-5 |
| 4. Reaming, case mouth | #15-5 |
| 5. Reboring | #41-3 |
| 6. Recoil calculations | #142-7 |
| 7. Reduced loads | #9-2, 140-14 |

| | |
|-----------------------------------|--|
| 8. Registering bullets and cases | #128-16 |
| 9. Re-lining, barrel | #188-3 |
| 10. Re-throating | #82-4, 188-15, 191-3 |
| 11. Revolvers | See "Pistols" |
| 12. Revolvers, measuring chambers | #40-2, 96-4, |
| 13. Revolvers, barrel throat | #71-14, 96-4, |
| a. Long throats | #186-17 |
| b. Sizing CB to cylinder throat | #198-5 |
| 14. Rifle: | |
| a. Accurizing (in general) | #192-16 |
| b. Arisaka | #110-20, 144-3 |
| c. Automatics, cast bullets in | #97-11 |
| d. Bedding | #15-5, 16-3 |
| e. Calibers | |
| (1) .218 Bee | #95-3, 174-20 |
| (2) .22 CB | #68-13, 84-9, 84-21 |
| (3) .22 Hornet | #51-12, 54-29, 91-16, 109-7, 187-18, 192-13, 193-18 |
| (4) .222 | #48-3, 48-19, 67-12, 78-27, 91-16 |
| (5) .222 x 1.5 | #94-9 |
| (6) .223 | #__?__, 85-10, 197-17 |
| (7) .22-250 | #195-12, 196-14 |
| (8) .243 Rockchucker | #59-22, 69-15 |
| (9) .244 (6mm) | #12-7, 20-9 |
| (10) 6mm BR | #102-3 |
| (11) 6mm Lee Navy | #200-10 |
| (12) .243 | #31-13, 46-2, 47-13, 49-9, 62-15, 72-3, 86-9, 158-10 |
| (13) .25s | #92-12, 105-13, |
| (14) .25 Short Hornet | #87-9 |
| (15) .25-20 | #60-4, 78-21, 80-4, 80-6, 89-3, 106-11, 108-8, 111-6, 113-15, 114-3, 174-20, 200-3 |
| (16) .25-35 | #56-12, 78-21, 199-4 |
| (17) .256 Winchester Magnum | #167-10 |
| (18) .257 Roberts | #55-28, 78-21 |
| (19) .25-06 | #67-25 |
| (20) 6.5 x 39mm | #145-16 |
| (21) 6.5 Swedish Mauser | #66-19, 71-19, 105-15, 113-11, 114-5, 115-15, 122-8, 147-12, 156-5, 185-3 |
| (22) 6.8 SPC (.270 Short) | #188-14 |
| (23) .270 | #64-3, 177-4, |
| (24) 7mm BR | #37-7, 77-21, 115-10, |
| (25) 7mm-.222 | #89-15 |

| | |
|------------------------------------|--|
| (26) 7mm-TCU | #64-23, 68-17 |
| (27) 7x30 Waters | #66-2 |
| (28) 7mm-08 | #44-26, 73-15 |
| (29) 7x57 Mauser | #42-2, 72-5, |
| (a) 1902 Rem 7mm Rolling Block | #191-8 |
| (30) 7.5x55 | #82-3, 154-11, 163-3, 165-11, 167-12, 176-6, 179-6, 179-12, 183-9 |
| (31) .280 Rem; 7mm Express; 7mm-06 | #177-15, 189-17, 194-11 |
| (32) .284 Winchester | #115-11, |
| (33) .30 Carbine | #103-20 |
| (34) .30/.357 | #56-12, 60-7 |
| (35) .30 Gray | #115-5, |
| (36) .30 Herrett | #57-18, 67-3 |
| (37) .300 Savage | #42-26, 50-37, 190-3, 192-12 |
| (38) .303 Savage | #73-25 |
| (39) .30 Johnson | #13-2, 43-2, 173-10 |
| (40) .30-30 (7.62 x 46R) | #20-4, 29-3, 33-7, 46-5, 46-___, 28, 60-2, 66-9, 109-4, 152-13, 176-9, 181-13, 184-12, 187-3, 188-9, 194-13, 200-12, 210-15 |
| (41) .30-30 Wesson | #146-22 |
| (42) .30 American | #72-11 |
| (43) .30 BR | #51-32 |
| (44) .308 BR | #21-13 |
| (45) .308x1.5 Barnes | #173-10 |
| (46) .308x1.6 LNR | #68-15 |
| (47) .308 | #62-3, 66-22, 163-3, 184-12, 194-15, 196-18, 201-7 |
| (48) .30-40 | #20-7, 61-23, 61-26, 100-3, 103-12, 105-3, 185-9, 190-3, |
| (49) .30-06 | #21-2, 41-7, 71-18, 82-20, 85- 13, 94-15, 104-5, 106-5, 115-3, 141-11, 145-5, 192-18, #192-5 |
| a. "Guard" or "Gallery" loads | |
| (50) .30-444 | #42-12 |
| (51) .300 Win. Mag. | #62-20, 73-25, |
| (52) .30 USA | #172-17, 178-20, |
| (53) 7.62x39 | #65-9, 86-13, 88-12, 89-17, 90-4, 101-4, 120-12, 147-13, 182-15, 187-13, 193-14 |
| (54) 7.62x39 Kern | #72-17, 171-7 |
| (55) 7.62x46R | #69-8, 72-11 |
| (56) 7.62x54R | #79-24, 93-9, 121-18, 158-19, 173-11, 175-18, 176-17, 181-3, 186-3, 191-19 |

- (57) 7.65 Argentine #122-3, 167-3
- (58) .303 British #46-3, 48-6, 87-3, 100-3, 106-4,
147-5, 151-20, 183-10, 196-18,
200-9
- (59) .310 Martini Cadet #96-3, 101-13, 114-3, 116-9,
116-10, 122-4, 152-16,
173-14
- (60) .32 ACP #188-3, 188-7
- (61) .32 Long Colt #175-11, 186-3
- (62) .32 S&W Long #170-8, 186-3, 188-7
- (63) .32-20 #56-12, 103-20, 126-12, 174-20
- (64) .32-40 #68-9, 101-3, 116-3, 181-12
- (65) .32 Guido Ardito #96-11
- (66) .32 H&R Magnum #__-__, 170-8, 197-5, 198-5, 198-20,
210-12
- (67) .32 Miller Short #114-17
- (68) .32 Winchester Special #201-6, 201-8
- (69) .33 Winchester #140-15
- (70) 8x33 Helbig #120-7
- (71) 8x57 #47-5, 59-4, 85-3, 158-14, 180-13,
180-15
- (72) 8x60R #148-6
- (73) 8mm Remington Magnum #55-26
- (74) .348 #67-25, 78-3, 84-18, 137-7
- (75) .35 Calibers #26-5, 42-6, 47-31, 61-3, 67-
30, 85-12, 159-13, 180-5,
186-11,
- a. .35 Remington
- (1) 10 inch vs. 12 inch twist barrels #198-22
- (76) .357 Mag. lever rifles #84-3, 91-14, 93-13, 171-7, 171-
12, 174-20, 183-7, 187-15
- (77) .357 Herrett #109-9, 117-8,
- (78) .35 Remington #108-3, 110-17, 143-3, 157-11,
158-13, 160-19, 161-24,
165-17, 174-16, 176-9
- (79) .350 Rem. Magnum #105-12,
- (80) .35 Whelan #73-3, 91-3, 93-16, 94-21, 99-7,
102-14, 106-10, 149-14,
149-18, 177-4, 186-10, 193-14
- (81) .35 Waller #133-6
- (82) .35-30/30 #18-2, 51-12
- (83) .35 Greevy Express (.35/45-70) #56-3
- (84) .35 Winchester #157-19
- (85) .358 Hunting loads #43-3
- (86) .375 H&H #94-19, 106-10, 131-6, 133-5,
138-12, 145-9, 151-21

| | |
|-------------------------------|--|
| (87) .375 Whelan | #87-16 |
| (88) .375 Winchester | #29-19, 31-11, 43-17, 102-14, 177-11 |
| (89) .38-55 | #67-2, 70-17, 81-3, 82-3, 92-3, 94-11, 96-3, 105-18, 113-15, 144-25, 152-12, 165-3, 176-9, 181-18, 185-13, 185-15, 189-14 |
| (a) Blackpowder in 1885 | #189-14 |
| (90) .38-70 | #76-10, 163-11 |
| (91) .404 Jeffery | #103-5, 121-10, |
| (92) .40-50 Sharps straight | #74-11 |
| (93) .40-50 Sharps Bottleneck | #80-3 |
| (94) .40-65 | #143-12, 169-11 |
| (95) .40-70 Sharps | #66-27 |
| (96) .41 Mag | #72-20 |
| (97) .41 Swiss Vetterli | #187-10, 201-14 |
| (98) .416 x 300 WSM wildcat | #175-7. |
| (99) .43 Spanish | #89-5, 184-21, 188-12, 195-14 |
| (100) .44-40 | #50-4 |
| (101) .44 Mag. | #36-2, 39-24, 49-21, 69-4, 83-17, 109-13, 143-14, 145-16, 173-20, 174-20, 181-20, 201-7 |
| (102) .44/63 Ballard | #161-8, 170-13 |
| (103) 11 mm. Mauser | #43-18 |
| (104) 11.15x58R | #167-7 |
| (105) 11.15x60R | #110-5 |
| (106) .444 Marlin | #39-24, 78-5, 130-10 |
| (107) .444 straight case | #67-24 |
| (108) .45 ACP | #180-16 |
| (109) .45 Colt | #98-4, 113-5, |
| (110) .45-70 & .45-90 | #30-5, 43-3, 47-33, 48-22, 49-4, 53-2, 55-29, 60-3, 68-8, 70-3, 73-3, 73-4, 75-5, 78-12, 84-23, 85-3, 91-17, 92-4, 92-16, 94-3, 98-10, 98-14, 100-20, 102-15, 105-6, 106-4, 107-6, 109-6, 113-18, 116-15, 118-13, 127-12, 131-8, 173-03, 184-14, 197-13, |
| (A) .22 Subcaliber device | #120-21 |
| (111) .450-100-450 Express | #51-4 |
| (112) .45 x 1.575" | #173-17 |
| (113) .458 x 2" American | #105-9, |
| (114) .458 Win. Mag. | #45-5, 86-4, 87-16, 113-8, 187-22 |
| (115) .460 Weatherby Mag | #151-22 |

| | |
|--------------------------------------|-----------------------------------|
| (116) .470 Nitro Express | #120-22 |
| (117) 12.7x44R (aka 12.17x44R) | #176-10 |
| (118) .50-70 Springfield | #49-29, 78-12, 113-10, |
| (119) .50 Alaskan | #110-10 |
| (120) .50-375 | #62-4, 63-4 |
| (121) .50 S&W | #171-16 |
| (122) .50 Spotter | #77-17 |
| (123) .577/.450 Farquarson | #73-5 |
| (124) .577/.450 Martini-Henry | #118-4, 127-13, 179-7, 193-15 |
| (125) .577 Nitro Express | #182-6 |
| (126) .577 Snider | #174-17, 178-19, 194-10 |
| f. Cast in M1 rifle | #48-2, 63-11, 90-3, 91-20, 94-15, |
| g. Correlating cast & jacketed loads | #64-2 |
| h. Experimenter class rifles | #59-20 |
| i. Guedes 8x60R | #148-6 |
| j. HK-91, cast bullets in | #144-26 |
| k. K-31 | #179-12, 186-21 |
| l. Lever action accuracy | #42-21 |
| m. Marlin | |
| (1) .32 Long Colt in Marlin 1892 | #175-11 |
| (2) .357 conversion to .256 | #37-7 |
| (3) .44 Mag | #173-20, 174-20 |
| (4) Accurizing M1895 | #147-15 |
| n. Mosin-Nagant | #121-18, 173-11, 175-18 |
| o. Palma | #190-21 |
| p. Peabody | #153-5 |
| q. P-14 and 1917 conversions | #150-9 |
| r. Planning a CBA match rifle | #26-4, 61-17 |
| s. Production | #40-4, 57-21, 149-11 |
| t. Remington 40-X | #79-3 |
| u. Remington 788 vs. 700 | #117-3 |
| v. Rest, custom made | #172-22 |
| w. Rook | #153-7, 186-3, 188-7 |
| x. Ruger #1 | #132-13, 135-5, 141-13 |
| y. Schuetzen rifles | #55-23 |
| z. Siamese Mausers | #164-9 |
| A. Single shot | #46-4, 90-11 |
| B. Springfield | #90-12, 92-15, 111-12, 126-20, |
| | 132-7, 144-8, 145-5 |
| (1) Feeding problems | #102-3 |
| C. Steyr SBS-96 | #176-6 |
| D. Swedish rolling block | #176-10 |
| E. Swiss K31 | #179-12, 186-21 |
| F. Squirrel Rifles, center fire | #174-20 |
| G. Winchester self-loading | #79-21 |
| 15. Rifling | |

| | |
|-------------------------------|---|
| a. Enfield type | #65-2 |
| b. Marlin micro-groove | #92-16 |
| 16. Rings, chamber | #4-2, 66-17, 69-8, 73-3, 74-13, 77-10, 79-13, 80-3, 83-24, 84-3, 91-16, 106-9, 140-13, 142-15, 144-7, 146-20, 185-11 |
| 17. Rings, lead on case neck | #152-9 |
| 18. Rings, scope (fitting) | #61-23 |
| 19. Rolling block | #95-15 |
| 20. Round balls | |
| a. Loads | #106-7 |
| b. Sizing | #63-3 |
| 21. Rubber mould casting | #33-2 |
| 22. Ruger #1 and #3 | #132-13, 135-5, 141-13 |
| 23. Run out of a loaded round | #145-10 |
| 24. Rust | |
| a. Inhibitors | #105-14, 107-8, |
| b. Mould cavity | #8-4, 10-5, 19-13 |

-S-

| | |
|---|---|
| 1. SAFETY (casting) | #49-15, 67-30, 77-7, 105-8, 109-3, 109-8, |
| 2. Salt, testing for | #98-7 |
| 3. Saws, lead | #20-5 |
| 4. Schofield, smokeless | #193-7 |
| 5. Schuetzen | |
| a. AYDT actions | #177-7 |
| 6. Scope | |
| a. Famous maker | #185-18 |
| b. Focusing | #163-3 |
| c. Power, determining | #191-16 |
| d. Rings and bases (fitting) | #61-23 |
| e. Test for correct adjustment | #186-16 |
| 7. Seater, Mequon straight line bullet seater | #49-22 |
| 8. Seaters, adjustable breech | #73-26 |
| 9. Seating, breach | #37-23 |
| 10. Seating, depth | #17-6, 75-4, 76-4, 86-3, 110-5, 143-13, 143-15, 187-17 |
| 11. Segregating cast bullets | #68-23 |
| 12. Shield, melting pot | #152-3 |
| 13. Shot, lead (alloying) | #107-4 |
| 14. Shot loads in pistols | #169-13 |
| 15. Shotgun | #200-12 |

| | |
|---|---|
| 16. Shoulder setback | #98-15, 140-17 |
| 17. Shrinkage voids in large bullets | #16-5 |
| 18. Sights | |
| a. Iron | #113-3, 113-6, 117-5, 122-18, |
| b. Making, front | #190-21 |
| c. Reference setting, changes | #154-10 |
| 19. Silent loads | See "Sub-Sonic Loads" |
| 20. Silhouette | #63-17, 72-3, 81-4, 92-13 |
| A. Lever action | #178-19 |
| 21. Single shot rifle accuracy | #90-11 |
| 22. Sizing die | |
| a. Alignment | #23-13 |
| b. Cleaning | #174-4 |
| c. Collet | #109-11 |
| d. Concentric | #159-17 |
| e. Custom supplier | #197-3 |
| f. Expansion | #99-11 |
| g. Hanned Precision Coaxsizer | #60-16 |
| h. Grossly oversize bullets | #37-23 |
| i. Undersize sizing die | #163-24 |
| 23. Sizing | (See "Bullets" & "Cases") |
| a. Revolver cylinders | #198-5 |
| 24. Slam fire | #113-12, |
| 25. Slug | |
| a. 20 gauge | #176-6, 178-13, |
| b. 12 gauge | #67-2, 127-8 |
| c. Measurement | #145-5, 169-4, 174-5, 178-12, 184-11 |
| 26. Small bore cast bullets | #41-15 |
| 27. Smoking bullet moulds | #9-3, 10-5, 14-2, |
| 28. Soap in bullet lubes | #168-17 |
| 29. Softnose casting | #60-15, 62-16, 81-15, 84-22, 95-20, |
| 30. Soldering, bore | #59-2 |
| 31. Sound barrier instability | #97-4, 98-9, |
| 32. Sound level testing | #192-3 |
| 33. Speaking Frankly: | |
| a. Adequate accuracy with simple techniques | #22-2 |
| b. BOWM bullets | #52-4, 58-29 |
| c. Case trimming | #39-5 |
| d. Concentricity | #24-3, 163-7 |
| e. Early CB wildcats | #31-5 |
| f. Hoch #80 bullet | #37-9 |
| g. Indoor shooting | #27-4, 164-4 |
| h. Loading at the range | #54-4 |

| | |
|---|--|
| i. Marlin models 93 and 36 | #77-5 |
| j. Match gun control | #66-4, 67-5 |
| k. Medium bores for cast bullets | #23-3, 161-6 |
| l. Memories of the .30-30 | #191-6 |
| m. Neck length & accuracy | #174-7 |
| n. One gun solution | #68-10, 69-5 |
| o. Roundballs in rifles | #28-8, 85-6, 165-6 |
| p. Straight cases | #19-7, 61-4, 159-4 |
| q. Swaged bullets (.30 cal.) & powders | #36-5 |
| r. Swaged round balls | #44-5 |
| s. Throat diameter | #32-4, 169-5 |
| t. WW I military with cast | #55-7, 56-9, 57-8 |
| u. .25-20 single shot and repeater | #60-4 |
| v. All around load for .30s | #35-____, 172-12 |
| e. All around bullet for .30s -- 311291 | #175-5 |
| x. .30-30 | #29-3, 33-7, 46-5, 160-11, 166-12, 170-6, 190-11, |
| y. .300 Savage | #98-5, 99-5, |
| z. .303 Savage | #168-5 |
| A. .303 British | #79-5 |
| B. .32 Special | #76-5, 168-5 |
| C. .300/3000 RAM | #58-3 |
| D. 8mm "J" bores and .32 cal. cast | #59-4 |
| E. .35 caliber | #42-6, 80-4, 158-4, 161-6 |
| F. 44 Caliber Lead loads | #171-4 |
| G. .44-40 | #50-4, 53-4, 171-4 |
| H. .45 caliber "concoction" load | #65-4 |
| I. .45-70 & 45-90 | #30-5, 49-4, 64-4, 81-5, 167-5 |
| J. .450-100-450 Express | #51-4 |
| K. .50-375 | #62-4, 63-4, 64-4 |
| L. .577/.450 Farquarson | #73-5 |
| M. .577 Snider | #70-7 |
| 34. Specialty loads | #63-6 |
| 35. Split nose bullets | #43-4, 87-13 |
| 36. Springfield rifles with cast | #71-18 |
| 37. Sprue plates | |
| a. Alloy buildup | #16-6 |
| b. Lee, fitting | #174-21, 182-12 |
| c. Maintenance kit | #148-16 |
| d. New (1986) RCBS sprue plates | #63-24 |
| e. Off-Center | #6-3, 9-4, 12-4, 60-14 |
| f. Sharp cut-off | #30-15 |
| g. Sharpening | #175-20 |
| h. Smaller holes | #83-20, 84-8 |
| i. Torn sprue | #69-3 |
| 38. Squib loads | See "Sub-Sonic loads" |

| | |
|-----------------------------------|--|
| 39. Stability, bullet | |
| a. In slow twist .44s | #175-16 |
| 40. Standard deviation | #113-16, |
| 41. Steel cases, pistol | #173-3 |
| 42. Strikers for sluggish actions | #65-23 |
| 43. String measuring (targets) | #192-3 |
| 44. Stocks | |
| a. Fiberglass | #37-18 |
| b. Finish (truck bed liner) | #193-13 |
| 45. Sub-Sonic loads (silent) | #27-9, 36-6, 40-12, 53-6, 55-29, 58-23, 61-22, 63-6, 64-5, 81-4, 85-13, 122-7, 124-12, 163-3, |
| 46. Swaged round balls | #44-5, 63-3 |
| 47. Swaged bullets | #112-4 |
| 48. Swap barrel | #42-3, 42-11, 72-5 |
| 49. Variable sizing pressure | #65-3 |

-T-

| | |
|---|-------------------------------|
| 1. Table, accessory (homemade) | #174-22 |
| 2. Tallow, salt in | #98-6 |
| 3. Taper cast bullets (convert Lyman die) | #127-15, 210-13 |
| 4. Targets | |
| a. For aging eyes | #122-15 |
| b. Moving backer system | #49-32 |
| c. String measure | #192-3 |
| 5. Teflon | |
| a. Break free CLP | #142-16 |
| b. Patching | #69-13 |
| 6. Temperature | |
| a. Alloy | #17-9, 45-6 |
| b. Barrell | #88-4 |
| c. Lead pot | #122-3 |
| 7. Thompson/Contender | See "Pistols & Bullets" |
| 8. Thompson/Contender accuracy | #43-19 |
| 9. Throat | |
| a. 94 Winchester | #110-7 |
| b. Bullet, matching to | #94-3, 118-15 |
| c. Cast bullet chambers | #61-2, 101-4, 107-3, |
| d. Castings (impact) | #163-19 |
| e. Diameter | #32-4, 44-4 |
| f. Difficult | #165-4 |
| g. Erosion | #73-21, 154-13, 156-17, 157-5 |

| | |
|--|---|
| h. Handi-Rifle | #175-3 |
| i. Lapping | #154-17 |
| j. Revolvers | #71-14 |
| k. Thompson/Contender | #43-19, 44-2 |
| l. Throat slugs, bumping | #144-15 |
| m. Wear (cleaning rods) | #127-11 |
| 10. Tightening, primer pocket | #169-3 |
| 11. Tips, miscellaneous | #3-10, 4-4, 5-1, 5-5, 10-2, 78-27, 139-6, 144-15 |
| 12. Top punch, floating | #177-3 |
| 13. Triggers | #59-16, |
| a. 1891 Mosin-Nagant | #118-9, 169-20 |
| b. Remington 788 | #118-10 |
| 14. Trimmer, case (powered) | #140-14 |
| 15. Tubes, paper (to reduce case volume) | #126-10 |
| 16. Tubing micrometer | #151-18 |
| 17. Tumbling | |
| a. Brass damage | #99-4 |
| b. Media | #100-21, |
| c. Rotary with liquid | #200-14 |
| 18. Tuning | |
| a. Moulds | See "Moulds - Tune up" |
| b. Ruger #1 | #83-4 |
| 19. Turret press | #161-8 |
| 20. Twist | |
| a. Determining proper | #48-5, 121-5 |
| b. Modified formula for determining | #102-13, 121-5, 125-14 |
| c. Twist for heavy .222 | #48-3 |

-U-

| | |
|-----------------------------|-----------------|
| 1. Ultrasonic case cleaning | #96-16, |
| 2. Uniform powder charges | #122-13 |
| 3. Unlubed bullets | #114-7, 115-13, |

-V-

| | |
|--------------------------------------|---------------|
| 1. V-Block (measure 5-groove) | #105-17 |
| 2. Vapor Phase Inhibitor paper (VPI) | #86-16, 87-10 |
| 3. Varmints, cast bullets on | #36-8, 67-18 |
| 4. Velocity, comparing with accuracy | #68-8 |
| 5. Velocity variation on bullet drop | #41-19 |

- | | |
|---|--------------------------------|
| 6. Velocity, high with soft alloys | #72-13, 76-4 |
| 7. Vice for making bullet moulds | #163-9 |
| 8. Vinegar, cleaning cases in | #86-6 |
| 9. V-Check | See "Visco-Check" |
| 10. Visco-Check | #155-14 |
| 11. Voids, bullets | #16-5, 127-16, 167-20, 168-16, |
| 12. Volume, case (reduction by paper tubes) | #126-10 |

-W-

- | | |
|-----------------------------------|--|
| 1. Mag wheel weight caution | #64-7 |
| 2. Wads | |
| a. Cast loads | #16-6, 61-2, 68-13 |
| b. Graphite | #108-5, 111-15 |
| c. Milk carton, paper | #126-15 |
| d. Poly (PVC, P-Chec) | #71-8, 74-23, 76-13, 86-12, 96-16, 96-21, 112-7, 114-8, 189-17 |
| e. Punches | #87-9, 114-8, |
| f. .45-70 | #60-3, 126-15 |
| 3. Wasp-waist bullet | #128-12, 130-9 |
| 4. Weighing bullets | #42-19, 132-12, 160-16 |
| 5. Weights, calculating bullet | #14-4 |
| 6. Weight variation | #114-4, 132-12 |
| 7. Wheel weights | #42-23, 71-3, 154-9, 156-19 |
| a. Contamination | #189-14 |
| 8. Wildcats (see "Rifles") | #31-5, |
| a. Cast bullet wildcats | #31-5, 56-25 |
| b. Computer program | #67-11 |
| c. 7mm BR | #37-7 |
| d. .30-444 | #42-12 |
| e. .30 Contender | #41-13 |
| f. .30 x \$2.00 (.30/.35 Rem) | #56-6 |
| g. .30 Herrett LN | #57-18 |
| h. .300/3000 RAM | #58-3 |
| i. .308 BR | #21-13 |
| j. .30/357 | #56-12, 60-7 |
| k. .30 USA | #172-17 |
| l. .35 Greevy Express (.35/45-70) | #56-3 |
| m. .35/30-30 | #18-2, 51-12 |
| n. .35 Waller | #133-6 |

| | |
|--------------------------------|--|
| o. .416 x .300 WSM | #175-7 |
| p. .50-375 | #62-2 |
| 9. Wind effects on groups | #42-16, 100-12, |
| 10. Wind flag | #125-12, 128-8, 159-9, 160-13, 164-17 |
| 11. Wire edges on bullet bases | #61-24 |
| 12. Wrench, action | #169-20 |

-X-

-Y-

-Z-

| | |
|-------------------------|-------------|
| 1. Zinc (z-mak) bullets | #25-2, 27-2 |
|-------------------------|-------------|

*** Somehow I have managed to omit the edition and/or page to a few articles. In the event that you find these, and know what the correct citation is, please notify me so that they can be changed.
jleeguthrie@sbcglobal.net